This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

B 49691 7

TENTH REGISTRATION REPORT

RHODE ISLAND

1862.



THE GIFT OF
Rhode Island St. Library

Digitized by Google

614.179
TR5

Digitized by Google

Digitized by Google

TENTH REPORT

UPON THE

REGISTRATION

OF

Births, Marriages, and Deaths,

IN THE

STATE OF RHODE ISLAND,

FOR THE

YEAR ENDING DECEMBER 31, 1862.

PRESENTED TO THE GENERAL ASSEMBLY,

BY

JOHN R. BARTLETT,

SECRETARY OF STATE.

PROVIDENCE:
ALFRED ANTHONY, PRINTER TO THE STATE.
1864.

Digitized by Google

COMMITTEE ON REGISTRATION

OF

The Rhode Island Medical Society.

JOSEPH MAURAN, M. D., *Providence.*

GEORGE L. COLLINS, M. D., *Providence.*

EDWIN M. SNOW, M. D., *Providence.*

DAVID KING, M. D., *Newport.*

OTIS BULLOCK, M. D., *Warren.*

LIBRARY OF CONGRESS, CITY OF WASHINGTON.

Digitized by Google

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS.

SECRETARY'S OFFICE, PROVIDENCE,
March 10th, 1864.

To the Honorable General Assembly:—

GENTLEMEN:—In accordance with the requirements of the Revised Statutes, the Annual Report on the Registration of Births, Marriages and Deaths in Rhode Island, for the year 1862, is herewith submitted.

The report has been prepared under the direction of the authorized committee of the Rhode Island Medical Society, and upon the same general plan as in previous years.

As this is the Tenth Annual Report upon Registration in this State it might be expected, and seems appropriate that a general recapitulation and review of the results obtained, should be presented. In addition to the usual statistics for the year 1862, tables have, therefore, been prepared, and will be found in this report, bringing together in a condensed form some of the principal facts relating to the births, marriages and deaths in the State, during the whole period of ten years and seven months, from June 1st, 1852, to December 31st, 1862, inclusive.

The preparation of these recapitulatory tables, and other unavoidable causes have delayed the publication of this report much beyond the usual time.

During the ten years and seven months included in the published history of registration in Rhode Island, the facts have been recorded relating to 36,916 children who have been born; 29,246 persons who have been married; and 22,928 persons who have died, in the State. This is a total of 89,090 persons; a number equal to one-half of the whole population of the State at the present time.

These records are preserved in the several towns of the State, in which the events occurred, while a complete copy of the returns for all the towns is preserved in the Office of the Secretary of State, thus rendering the entire destruction of the proof of these events compar-

Digitized by Google

atively impossible. It is proper to state that for purposes of reference, all these records of births, marriages, and deaths, have been carefully indexed in books prepared for the purpose, so that the full particulars of each can be readily ascertained.

The value of these records can hardly be over-estimated, and is shown, particularly at the present time, by the examinations which are daily made for proof of births, marriages, and deaths, in connection with the claims of our soldiers or their families upon the general government. Applications of this kind are constantly increasing, not only from our own citizens, but from those of other States who were born or married in Rhode Island.

While these examinations show the inestimable value of the records, the frequent failure to find in them the proof of events which happened before they were as complete as at present, cannot but awaken serious regrets that the system of registration had not been adopted at an earlier period in our history.

Notwithstanding the efforts made to ensure complete returns from the various towns, I regret to say that some of the Town Clerks still fail to make them as complete as they ought to be, particularly in regard to births. The returns from the cities of Newport and Providence, and from the more populous towns are the most complete.

JOHN R. BARTLETT,
Secretary of State.

Digitized by Google

CONTENTS.

Page.

TABLE I. General abstract of the births, marriages and deaths in 1862; showing the number of births, the sex and parentage of those born; the number of marriages, with the nativity of those married; the number of deaths, with the sex and parentage of those who died; the aggregate and average age of each sex, and of the whole number of decedents whose age was given; also the population of each town and division of the State by census of 1860 2

TABLE II. Births; showing the number of each sex born, in each month of the year, in the several divisions of the State 4

TABLE III. Plurality births; arranged by months, sexes, and divisions of the State; and showing the nativity of the parents 6

TABLE IV. Marriages; showing the number of marriages, in each month, in the several divisions of the State 7

TABLE V. Ages of persons married; showing the number of each sex married within certain stated periods of life 8

TABLE VI. Deaths; showing the number of each sex who died, in each month, in the several divisions of the State 9

TABLE VII. Deaths; showing the number of each sex who died at certain stated periods of life, in each town and division of the State; also the population of each sex in every town and division, with the percentage of deaths to population, 10

TABLE VIII. Causes of death; arranged alphabetically, showing the number of each sex, who died from each cause, in every month, and within the several periods of life 16

TABLE IX. Clasification and percentage; showing the number of deaths by each cause and class of causes, and the percentage of all which was ascribed to each, in the whole State, and in each division 23

TABLE X. Occupations and ages at death; showing the aggregate and average

Digitized by Google

Page

age at death in each occupation and class of occupations, in the whole State, in Providence city, and in the rest of the State; ages under 20 omitted..... 30

TABLE XI. Occupations and causes of deaths; showing the number in each occupation and class of occupations, who died by each specified cause; omitting ages under 20..... 33

TABLE XII. Meteorological; showing the prevailing winds, the mean altitude of the barometer in degrees, the mean cloudiness of the sky, the number of days of rain or snow, and the quantity of rain or snow in inches, for each month 36

TABLE XIII. Meteorological; showing the mean temperature, the highest and lowest temperature, and range, and greatest rise or fall within twenty-four hours, for each month..... 37

TABULAR RETROSPECT, 1852—1862..... 39

TABLE XIV. General abstract of the births, marriages and deaths in Rhode Island during five years, 1858 to 1862 inclusive, showing the same facts as in Table I... 40

TABLE XV. Marriages; showing the ages of the parties in each marriage, during nine years, 1854 to 1862 inclusive..... 42

TABLE XVI. Deaths; showing the number and percentage of each sex, at each period of life, during ten years and seven months, from June 1st, 1852 to December 31st, 1862, inclusive..... 43

TABLE XVII. Births, during ten years and seven months, from June 1st 1852 to December 31st, 1862; showing the number reported in each year, and of each sex, in each town and division of the State..... 44

TABLE XVIII. Marriages; showing the number and nativity of those married in each town and division of the State, in each of the ten years and seven months from June 1st 1852 to December 31st, 1862 inclusive..... 46

TABLE XIX. Deaths; showing the number and sex of the decedents in each year, and in each town and division of the State, during ten years and seven months, from June 1st, 1852 to December 31st 1862 inclusive..... 48

TABLE XX. Births, marriages and deaths in Rhode Island, during ten years, 1853 to 1862 inclusive; showing then umber and percentage of each sex in each month, the months being reduced to periods of equal length in the percentage columns.. 50

TABLE XXI. Plurality births; showing the number in each month and the sex of the children, during ten years, 1853 to 1862 inclusive..... 51

TABLE XXII. Causes of death, during ten years and seven months, June 1, 1852 to December 31, 1862 inclusive, classified and arranged to show the number of each sex, and the number in each period of life from each cause, and class of causes..... 52

TABLE XXIII. Causes of death during ten years, 1853 to 1862 inclusive, showing the number, from certain selected causes, in each month and each quarter of the year..... 58

TABLE XXIV. Deaths during ten years and seven months; showing the number in each period of life in each county of the State; and also showing, for five years,

Digitized by Google

Page.
the difference between the City and towns of Providence County..... 60

RESULTS AND OBSERVATIONS, 1862..... 63
Number of births, marriages and deaths, for five years..... 63
Diminution in 1862,—population increased by change of boundary..... 63
Increase of population by natural causes..... 63
Ratio of births, marriages and deaths (1862) to population (1860)..... 64
Diminution real, not apparent, nor accidental..... 64
Difference between 1861 and 1862, in each division of the State..... 65
Diminution not local,—difference in each quarter of the year..... 66
Difference in each class, American and foreign,—decrease most marked in the foreign class..... 67
Percentage of births, marriages and deaths in foreign class..... 68
Colored population, births, marriages and deaths among them..... 68
Sex of those born and deceased, large excess of male births..... 69
Age at marriage, decrease under 25,—percentages..... 70
Deaths,—difference and percentage, at different ages, average age at death higher than usual.....70, 71
Average age at death in different regions and classes.....71, 72
Still born, included in tables of births 72
Still born statistics of, for several years..... 73
Number of the children..... 73
Deaths by quarters of the year, in State, and each division.....74, 75
Causes of death, in connection with quarters of the year.....75, 76

SYNOPSIS OF TABULAR RETROSPECT..... 77
Whole number of births, marriages and deaths in all the Reports..... 77
Explanation of the recapitulatiory tables, and comments on them.....78, 80

Digitized by Google

Digitized by Google

REPORT ON REGISTRATION

OF

BIRTHS, MARRIAGES, AND DEATHS,

IN

RHODE ISLAND,

FOR THE

YEAR ENDING DECEMBER 31, 1862.

Digitized by Google

TABLE I.

GENERAL ABSTRACT OF THE BIRTHS, MARRIAGES, AND DEATHS,

FOR THE YEAR

1862.

TOWNS AND DIVISIONS OF THE STATE.	Population in 1860.	BIRTHS.										MARRIAGES.							DEATHS.													
		Whole No.	SEX.			PARENTAGE.						Whole No.	NATIVITY.						Whole No.	SEX.		PARENTAGE.			Number of given ages.		Aggregate age		Average age.		Aggregate age of all.	Average age of all.
			Males.	Females.	Not stated.	American.	Foreign.	Amer. fa. For. mo.	For. father. Am. mo.	Not stated.		American.	Foreign.	Am male For. female.	For male Am female.	Not stated.			Males.	Females.	American.	Foreign.	Not stated.	Males.	Females.	Males.	Females.	Males.	Females.		
Barrington	1,000	12	6	6	..	10	2	..	..	..	7	6	..	..	1	..	12	7	5	10	2	..	7	5	439	195	62.71	39.00	634	52.83
Bristol	5,271	122	72	50	..	58	58	2	4	..	34	20	11	2	1	..	69	43	26	62	7	..	43	26	1,579	1,114	36.72	42.84	2,693	39.02
Warren	2,636	43	24	19	..	28	12	2	1	..	17	11	6	..	..	..	42	20	22	33	9	..	20	22	632	935	31.60	42.50	1,567	37.31
BRISTOL COUNTY	8,907	177	102	75	..	96	72	4	5	..	58	37	17	2	2	..	123	70	53	105	18	..	70	53	2,650	2,244	37.86	42.34	4,894	39.78
Coventry	4.247	86	52	34	..	62	20	3	1	..	16	16	..	..	..	..	63	27	36	50	13	..	27	35	673	1,556	24.92	44.45	2,229	35.95
East Greenwich	2.882	43	24	19	..	31	12	..	..	..	19	17	..	..	2	..	42	20	22	35	7	..	19	22	605	926	31.84	42.09	1,531	37.34
West Greenwich	1.258	24	12	12	..	24	..	..	..	..	7	7	..	..	..	..	16	12	4	16	..	..	12	4	451	170	37.58	42.50	621	38.81
Warwick	8,916	207	101	106	..	94	104	6	3	..	55	34	18	1	2	..	133	65	68	108	25	..	65	68	1,481	2,081	22.78	30.60	3,562	26.76
KENT COUNTY	17,803	360	189	171	..	211	136	9	4	..	97	74	18	1	4	..	254	124	130	209	45	..	123	129	3,210	4,733	26.09	36.69	7,943	31.52
Jamestown	400	2	2	..	..	2	..	..	..	..	2	2	..	..	..	..	2	.	2	2	..	..	..	2	..	2	..	1.00	2	1.00
Little Compton	1,304	23	9	13	1	20	2	1	..	..	3	3	..	..	..	..	14	6	8	13	..	1	6	8	331	563	55.16	70.37	894	63.85
Middletown	1,012	27	12	15	..	25	1	1	..	..	5	4	..	1	..	..	7	3	4	7	..	..	3	4	103	186	34.33	46.50	289	41.28
Newport	10,508	293	147	145	1	152	112	21	7	1	86	48	27	7	4	..	188	91	97	99	89	..	91	97	2,920	3,715	32.08	38.29	6,635	35.29
New Shoreham	1,320	25	16	8	1	24	1	..	..	..	5	5	..	..	..	..	17	11	6	17	..	..	11	6	345	188	31.36	31.33	533	31.35
Portsmouth	2.048	48	19	29	..	38	7	2	1	..	11	10	..	..	1	..	24	9	15	23	1	..	9	15	470	656	52.22	43.73	1,126	46.91
Tiverton	1,927	39	19	20	..	35	1	2	1	..	30	27	2	1	..	..	35	21	14	34	1	..	21	14	1,019	694	48.52	49.57	1,713	48.94
NEWPORT COUNTY	18,519	457	224	230	3	296	124	27	9	1	142	99	29	9	5	..	287	141	146	195	91	1	141	146	5,188	6,004	36.79	41.12	11,192	38.99

Digitized by Google

Burrillville.....	4,140	108	47	60	1	40	63	3	2	..	27	10	16	..	1	..	54	23	31	31	23	..	23	31	587	1.205	25.52	38.87	1,792	33.18
Cranston.....	7,500	230	122	107	1	64	142	10	13	1	33	25	6	1	..	1	124	62	62	63	61	..	61	62	1,439	1,554	23.59	25.06	2,993	24.33
Cumberland.....	8,339	193	108	85	..	62	118	2	11	..	109	62	39	5	3	..	100	46	54	54	46	..	45	52	1,190	1,846	26.44	35.50	3,036	31.30
East Providence..	1,700	51	24	27	..	32	17	1	..	1	15	15	..	..	..	..	29	15	14	22	7	..	15	14	425	496	28.33	35.42	921	31.75
Foster.....	1,935	29	14	15	..	29	..	..	..	..	14	14	..	..	..	..	18	10	8	17	1	..	10	8	606	560	60.60	70.00	1,166	64.77
Glocester.....	2,427	53	29	23	1	49	4	..	..	..	12	10	1	1	..	..	24	18	6	23	1	..	18	6	817	263	45.39	43.83	1,080	45.00
Johnston.....	3.440	86	47	39	..	43	39	1	3	..	31	28	3	..	..	..	53	25	28	46	6	1	25	28	732	616	29.28	22.00	1,348	25.43
North Providence	11,818	192	104	88	..	68	107	11	6	..	104	54	30	13	7	..	183	93	90	91	91	1	93	90	2,466	2,262	26.51	25.13	4.728	25.83
Pawtucket.....	4,200	106	53	53	..	41	49	6	10	.	16	14	1	..	1	..	36	15	21	25	11	..	15	21	496	446	33.06	21.23	942	26.16
Scituate.....	4,251	80	51	29	..	66	12	2	..	..	32	30	2	..	..	..	66	36	30	58	8	..	35	30	1.452	1,171	41.48	39.03	2.623	40.35
Smithfield.....	13,283	188	103	85	..	51	125	7	5	..	80	63	10	4	1	2	126	73	53	61	64	1	73	53	2,026	1,556	27.75	29.36	3,582	28.42
TOWNS PROV. CO.	163,033	1,316	702	611	3	545	676	43	50	2	473	325	108	24	13	3	813	416	397	491	319	3	413	395	12,236	11,975	29.62	30.31	24,211	29.96
PROVIDENCE CITY.	50,666	1,529	791	738	..	589	799	74	67	..	547	288	179	50	30	..	914	450	464	460	454	..	450	464	12.040	13,648	26.75	29.41	25,688	28.10
Charlestown.....	981	9	5	4	..	9	..	..	..	..	1	1	..	..	..	..	14	4	10	14	..	..	4	10	88	257	22.00	25.70	345	24.64
Exeter.....	1,741	18	4	14	..	18	..	..	..	..	13	13	..	..	..	..	10	3	7	10	..	..	3	7	113	105	37.66	15.00	218	21.80
Hopkinton.....	2,738	60	33	27	..	53	2	3	2	..	20	19	..	1	..	..	24	9	15	23	1	..	9	15	225	516	25.00	34.40	741	30.87
North Kingstown	3,104	70	34	36	..	53	12	4	1	..	20	19	..	..	1	..	49	25	24	47	2	..	25	24	958	1,090	38.32	45.41	2,048	41.79
South Kingstown	4,717	45	24	21	..	42	1	2	..	..	25	21	3	1	..	..	63	25	38	58	5	..	25	38	786	1,197	31.44	31.50	1,983	31.47
Richmond.....	1,964	16	8	8	..	16	..	..	..	..	8	6	1	1	..	..	14	10	4	14	..	..	10	4	346	97	34.60	24.25	443	31.64
Westerly.....	3,470	68	36	32	..	40	23	1	..	4	46	35	6	1	4	..	26	18	13	23	3	..	13	13	282	524	21.69	40.30	806	31.00
WASHINGTON CO..	18,715	286	144	142	..	231	38	10	3	4	133	114	10	4	5	..	200	89	111	189	11	..	89	111	2,798	3,786	31.43	34.10	6,584	32.92

RECAPITULATION.

COUNTIES.																														
Bristol.....	8.907	177	102	75	..	96	72	4	5	..	58	37	17	2	2	..	133	70	53	105	18	..	70	53	2,650	2,244	37.86	42.34	4,894	39.78
Kent.....	17,303	360	189	171	..	211	136	9	4	..	97	74	18	1	4	..	254	124	130	209	45	..	123	129	3,210	4.733	26.09	36.69	7,943	31.52
Newport.....	18.519	457	224	230	3	296	124	27	9	1	142	99	29	9	5	..	287	141	146	195	91	1	141	146	5,188	6.004	36.79	41.12	11,192	38.99
Providence.....	113.699	2,845	1,493	1,349	3	1,134	1,475	117	117	2	1.020	613	287	74	43	3	1.727	866	861	951	773	3	863	859	24,276	25,623	28.13	29.82	49.899	28.98
Washington.....	18,715	286	144	142	..	231	38	10	3	4	133	114	10	4	5	..	200	89	111	189	11	..	89	111	2,798	3,786	31.43	34.10	6,584	32.92
WHOLE STATE....	177,143	4,125	2,152	1,967	6	1,968	1,845	167	138	7	1,450	937	361	90	59	3	2,591	1,290	1,301	1,649	938	4	1,286	1,298	38,122	42 390	29.64	32.65	80,512	31.15

Digitized by Google

Table II. BIRTHS. 1862.

Arranged by months, sexes, and divisions of the State.

MONTHS.	SEX.	Whole Number.	DIVISIONS OF THE STATE.					
			Bristol County.	Kent County.	Newport County.	Providence County: towns.	Providence City.	Washington Co.
January.....	Male,	214	14	8	12	78	91	11
	Female,	174	4	8	18	49	82	13
	Not stated,	..	..	..	..	..	..	..
	Total,	388	18	16	30	127	173	24
February....	Male,	169	8	14	15	50	71	11
	Female,	163	8	15	21	52	51	16
	Not stated,	..	..	..	..	..	..	..
	Total,	332	16	29	36	102	122	27
March.....	Male,	184	6	16	22	45	85	10
	Female,	165	9	12	11	58	66	9
	Not stated,	1	..	..	1	..	..	..
	Total,	350	15	28	34	103	151	19
April.....	Male,	163	3	13	20	51	57	18
	Female,	159	5	14	24	41	63	12
	Not stated,	..	..	..	..	..	..	..
	Total,	322	8	27	44	92	120	30
May.....	Male,	168	10	12	23	42	66	16
	Female,	139	9	20	17	33	50	9
	Not stated,	..	..	..	..	..	..	..
	Total,	307	19	32	40	75	116	25
June.....	Male,	166	4	11	17	54	70	10
	Female,	172	3	15	16	47	79	12
	Not stated,	1	..	..	1	..	..	..
	Total,	339	7	26	34	101	149	22
July.....	Male,	163	11	24	17	53	46	12
	Female,	129	6	13	17	42	42	9
	Not stated,	..	..	..	..	..	..	..
	Total,	292	17	37	34	95	88	21

Digitized by Google

TABLE II. BIRTHS. 1862. CONTINUED.

MONTHS.	SEX.	Whole Number.	DIVISIONS OF THE STATE.					
			Bristol County.	Kent County.	Newport County.	Providence County: towns.	Providence City.	Washington Co.
August.....	Male,	175	7	20	18	68	54	9
	Female,	165	7	18	16	52	61	11
	Not stated,	1	..	..	..	1	..	..
	Total,	341	14	38	34	121	115	20
September...	Male,	186	6	21	17	67	62	13
	Female,	176	7	10	16	65	66	12
	Not stated,	..	..	..	..	..	..	..
	Total,	362	13	31	33	132	128	25
October....	Male,	203	16	17	19	68	68	15
	Female,	173	5	18	18	63	54	15
	Not stated,	1	..	..	..	1	..	..
	Total,	377	21	35	37	132	122	30
November....	Male,	180	11	13	25	60	61	10
	Female,	165	5	15	31	49	55	10
	Not stated,	2	..	..	1	1	..	..
	Total,	347	16	28	57	110	116	20
December....	Male,	179	6	20	19	66	60	9
	Female,	189	8	13	25	60	69	14
	Not stated,	..	..	..	..	..	..	..
	Total,	368	14	33	44	126	129	23
Aggregate...	Male,	2,152	102	189	224	702	791	144
	Female,	1,967	75	171	230	611	738	142
	Not stated,	6	..	..	3	3	..	..
	Total,	4,125	177	360	457	1,316	1,529	286

Digitized by Google

Table III. PLURALITY BIRTHS. 1862.

ARRANGED BY MONTHS AND DIVISIONS OF THE STATE, AND EXHIBITING THE NATIVITY OF THE PARENTS.

MONTHS.	No. of cases.	SEX.	Number of children.	Bristol Co.	Kent Co.	Newport Co.	Providence Co., towns.	Providence City.	Washington County.	NATIVITY OF PARENTS. American.	Irish.	German	Irish father, Br. Am mo.	English fa. Am. mother.	Scotch fa. Br. Am. mo.	Irish father, Am. mother.
January*	4	Male, Female,	6 2	1	..	..	1	2	..	3	1	..	..	..	..	..
February	4	Male, Female,	3 5	1	..	..	..	1	2	2	2	..	..	..	..	..
March	2	Male, Female,	3 1	..	1	..	..	1	..	2	..	..	..	..	..	.
April	3	Male, Female,	6	1	..	1	..	1	..	1	1	..	..	..	1	..
May	2	Male, Female,	3 1	..	..	1	..	..	1	1	1	..	..	..	..	..
June†	6	Male, Female,	5 8	..	1	..	1	3	1	3	3	..	..	..	..	..
July	3	Male, Female,	2 4	..	..	.	1	2	..	2	1	..	..	.	..	..
August	2	Male, Female,	2 2	..	..	..	..	2	..	..	..	..	1	1	..	..
September	2	Male, Female,	4	1	..	..	..	1	..	..	1	1	..	..	..	..
October	3	Male, Female,	3 3	..	1	..	..	1	1	2	1	..	..	..	..	..
November	2	Male, Female,	4	..	..	..	2	..	..	1	1	..	..	..	..	..
December	4	Male, Female,	3 5	..	1	..	1	2	..	3	.	..	..	..	..	1
Total	37	Male, Female,	34 41	4	4	2	6	16	5	20	12	1	1	1	1	1

*Black Twins, illegitimate, Bristol County.

†Triplets, Providence city.

Digitized by Google

Table IV. MARRIAGES. 1862.

Arranged by months and divisions of the State.

MONTHS.	Whole Number.	DIVISIONS OF THE STATE.					
		Bristol county.	Kent county.	Newport county.	Providence county: towns.	Providence city.	Washington county.
January	123	5	6	8	45	48	11
February	101	5	7	9	27	41	12
March	121	6	9	12	40	34	20
April	93	3	8	11	28	33	10
May	122	6	8	10	39	52	7
June	107	2	7	11	31	48	8
July	94	4	6	8	37	34	5
August	120	3	14	11	51	30	11
September	173	5	9	19	54	74	12
October	130	5	6	19	39	51	10
November	153	11	8	14	48	60	12
December	113	3	9	10	34	42	15
Total	1,450	58	97	142	473	547	133

Digitized by Google

TABLE V. AGES OF PERSONS MARRIED. 1862.

[*Read thus:* 43 *men, under twenty, married women under twenty;* 16 *men, under twenty, married women between twenty and twenty-five;* 74 *men, between twenty-five and thirty, married women under twenty; one man, under twenty, married a woman between forty and forty-five, &c.*]

AGES OF MEN.	AGES OF WOMEN.												
	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	70 to 75.	Not stated.	Whole No. of men.
Under 20.....	43	16	..	1	..	1	..	..	..	..	..	..	61
20 and under 25	213	287	43	4	..	..	..	..	..	..	..	..	547
25 " 30	74	204	103	16	5	1	..	..	..	..	..	..	403
30 " 35	16	60	57	32	14	1	1	..	..	..	..	1	182
35 " 40	10	14	20	21	13	3	1	..	..	..	..	..	82
40 " 45	4	6	6	17	9	12	1	..	..	..	..	..	55
45 " 50	..	4	4	5	8	5	2	2	..	..	..	..	30
50 " 55	..	6	5	7	6	9	8	2	1	..	..	..	44
55 " 60	1	..	1	2	4	3	5	4	..	..	..	..	20
60 " 65	..	..	..	..	3	1	3	2	..	..	..	..	9
65 " 70	..	..	..	1	2	2	..	1	2	1	..	..	9
70 " 75	..	..	..	..	..	..	..	..	..	..	..	..	..
75 " 80	..	..	..	..	..	..	..	..	1	..	1	..	2
80 " 85	..	..	..	..	..	..	..	..	1	..	..	..	1
Not stated.....	..	..	2	..	..	..	..	..	..	..	..	3	5
Whole number of women...	361	597	241	106	64	38	21	11	5	1	1	4	1,450

Digitized by Google

Table VI. DEATHS. 1862.

Arranged by months, sexes, and divisions of the State.

MONTHS.	SEX.	Whole State.	DIVISIONS OF THE STATE.					
			Bristol County.	Kent County.	Newport County.	Providence County; towns.	Providence City.	Washington County.
January.....	Male,	108	6	9	8	33	37	15
	Female,	100	7	6	13	23	35	16
	Total,	208	13	15	21	56	72	31
February.....	Male,	87	7	10	8	27	30	5
	Female,	98	3	8	13	37	30	7
	Total,	185	10	18	21	64	60	12
March.....	Male,	82	4	5	10	27	28	8
	Female,	105	1	14	18	19	37	16
	Total,	187	5	19	28	46	65	24
April.....	Male,	81	5	9	9	24	28	6
	Female,	91	2	10	10	29	28	12
	Total.	172	7	19	19	53	56	18
May.	Male,	112	5	15	16	32	36	8
	Female,	114	3	11	11	42	38	9
	Total,	226	8	26	27	74	74	17
June.....	Male,	91	6	5	15	26	33	6
	Female,	91	5	8	13	25	29	11
	Total,	182	11	13	28	51	62	17
July	Male,	90	3	12	10	35	24	6
	Female,	94	1	14	5	34	37	3
	Total,	184	4	26	15	69	61	9
August.....	Male,	135	4	13	12	44	54	8
	Female,	120	5	8	7	39	55	6
	Total,	255	9	21	19	83	109	14
September....	Male,	137	7	11	15	46	48	10
	Female,	143	6	14	21	39	53	10
	Total,	280	13	25	36	85	101	20
October. . . .	Male,	122	8	11	9	49	39	6
	Female,	131	7	18	16	44	34	12
	Total,	253	15	29	25	93	73	18
November.....	Male,	121	6	11	15	36	46	7
	Female,	114	6	12	10	32	48	6
	Total,	235	12	23	25	68	94	13
December	Male,	124	9	13	14	37	47	4
	Female,	100	7	7	9	34	40	3
	Total,	224	16	20	23	71	87	7
Aggregate....	Male,	1290	70	124	141	416	450	89
	Female,	1301	53	130	146	397	464	111
	Total,	2591	123	254	287	813	914	200

Digitized by Google

TABLE VII. DEATHS. 1862.

Showing the number of each sex, in each period of life, in every town,

TOWNS AND DIVISIONS OF THE STATE.	Population, 1860.			Deaths, 1862.					
	Whole number.	SEX.		Per cent. to pop.	Whole number.	Sex.	Under 1.	1 to 2.	2 to 3.
Barrington	1,000	Male,	565	1.20	12	7		..	..
		Female,	435			5	1	..	..
Bristol	5,271	Male,	2,566	1.30	69	43	7	1	..
		Female,	2,705			26	6	1	..
Warren	2,636	Male,	1,152	1.59	42	20	3	4	..
		Female,	1,484			22	3	1	..
BRISTOL COUNTY.	8,907	Male,	4,283	1.38	123	70	10	5	..
		Female,	4,624			53	10	2	..
Coventry	4,247	Male,	1,970	1.48	63	27	9	1	..
		Female,	2,277			36	3	3	..
East Greenwich..	2,882	Male,	1,438	1.46	42	20	4	..	2
		Female,	1,444			22	3	..	..
West Greenwich..	1,258	Male,	658	1 27	16	12	2	..	..
		Female,	600			4	..	..	..
Warwick.....	8,916	Male,	4,106	1.49	133	65	9	9	5
		Female,	4,810			68	14	4	5
KENT COUNTY...	17,303	Male,	8,172	1.46	254	124	24	10	7
		Female,	9,131			130	20	7	5
Jamestown.....	400	Male,	213	.50	2	..	..	..	..
		Female,	187			2	1	1	..
Little Compton ..	1,304	Male,	644	1.07	14	6	..	..	..
		Female,	660			8	..	..	..
Middletown.....	1,012	Male,	515	.69	7	3	1	..	..
		Female,	497			4	1	..	..
Newport.....	10,508	Male,	4,804	1.78	188	91	22	6	2
		Female,	5,704			97	16	5	..
New Shoreham ..	1,320	Male,	686	1.28	17	11	5	..	..
		Female,	634			6	1	1	..
Portsmouth.....	2,048	Male,	1,059	1.17	24	9	1	..	..
		Female,	989			15	..	1	..
Tiverton	1,927	Male,	976	1.81	35	21	1	1	..
		Female,	951			14	2	..	..
NEWPORT COUNTY	21,896	Male,	10,556	1.31	287	141	30	7	2
		Female,	11,340			146	21	8	..

Digitized by Google

TABLE VII. DEATHS. 1862.

and division of the State; also, the ratio of deaths to population.

3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Not stated.
..	..	..	..	1	..	..	..	1	2	2	1	..	..
..	..	..	..	1	..	1	..	..	..	2	..	..	..
1	..	3	1	2	5	..	6	6	3	6	1	1	..
..	..	2	..	..	3	..	..	3	3	2	5	1	..
1	..	..	..	..	1	2	5	1	..	..	3	..	..
..	..	1	1	1	..	4	..	4	2	3	2	..	..
2	..	3	1	3	6	2	11	8	5	8	5	1	..
..	..	3	1	2	3	5	..	7	5	7	7	1	..
..	1	1	..	6	..	1	2	2	..	2	2	..	..
..	..	2	..	1	4	2	4	2	3	7	4	..	1
..	1	..	..	2	2	..	2	1	2	2	1	..	1
..	..	..	..	3	3	1	4	2	1	2	2	..	..
..	1	1	..	2	..	..	1	1	1	1	2	..	..
..	..	1	1	..	..	..	..	..	..	2	..	..	..
2	3	6	..	5	7	3	4	3	1	5	1	2	..
3	..	2	..	6	3	6	4	3	8	4	5	1	..
2	6	8	..	15	9	4	9	7	4	10	6	2	1
3	..	5	1	10	10	9	12	7	12	15	11	2	1
..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	1	1	..	1	1	2	..	..	..
..	..	..	..	1	..	..	..	1	2	..	2	2	..
..	..	..	..	..	..	..	1	1	..	..	..	..	..
..	..	..	..	..	..	1	..	..	..	2	..	..	..
..	..	4	2	3	7	8	8	7	8	7	7	..	..
2	1	3	3	2	11	7	8	5	12	11	6	4	1
..	..	..	..	..	1	..	..	1	4	..	..	..	..
..	..	..	..	..	..	2	1	..	..	1	..	..	..
..	1	..	..	1	..	..	..	1	..	4	1	..	..
..	..	..	1	..	2	4	1	3	1	..	..	2	..
..	..	1	..	..	3	2	1	4	2	3	3	..	..
..	..	..	..	..	2	1	1	2	1	3	2	..	..
..	1	5	2	4	12	11	10	15	15	16	11	..	..
2	1	3	4	8	15	15	11	11	16	17	10	8	1

Digitized by Google

TABLE VII. DEATHS. 1862. CONTINUED.

TOWNS AND DIVISIONS OF THE STATE.	Population, 1860. Whole number.	Population, 1860. SEX.		Deaths, 1862. Per cent. to pop.	Deaths, 1862. Whole number.	Deaths, 1862. Sex.	Under 1.	1 to 2.	2 to 3.
Burrillville	4,140	Male,	2,119	1.30	54	23	7	1	2
		Female,	2,021			31	6	2	1
Cranston	7,500	Male,	3,829	1.65	124	62	11	6	8
		Female,	3,671			62	11	4	4
Cumberland	8,339	Male,	3,927	1.19	100	46	11	3	2
		Female,	4,412			54	6	7	1
East Providence	1,700	Male,	841	1.70	29	15	7	1	..
		Female,	859			14	3	2	..
Foster	1,935	Male,	958	.93	18	10	..	..	..
		Female,	977			8	..	..	..
Glocester	2,427	Male,	1,264	.98	24	18	1	..	..
		Female,	1,163			6	..	..	..
Johnston	3,440	Male,	1,727	1.54	53	25	5	2	2
		Female,	1,713			28	7	1	2
North Providence	11,818	Male,	5,722	1.54	183	93	23	6	3
		Female,	6,096			90	19	8	2
Pawtucket	4,200	Male,	1,971	.85	36	15	2	1	..
		Female,	2,229			21	4	2	..
Scituate	4,251	Male,	2,094	1.55	66	36	4	1	3
		Female,	2,157			30	1	2	2
Smithfield	13,283	Male,	6,371	.94	126	73	14	6	4
		Female,	6,912			53	10	3	1
PROVIDENCE CO.: TOWNS	63,033	Male,	30,823	1.28	813	416	85	27	24
		Female,	32,210			397	67	31	13
PROVIDENCE CITY	50,666	Male,	23,894	1.80	914	450	86	41	18
		Female,	26,772			464	80	43	10
Charlestown	981	Male,	483	1,42	14	4	1	1	..
		Female,	498			10	1	..	2
Exeter	1,741	Male,	889	.57	10	3	..	..	..
		Female,	852			7	1	1	..
Hopkinton	2,738	Male,	1,351	.87	24	9	1	2	..
		Female,	1,387			15	..	3	..
North Kingstown	3,104	Male,	1,513	1.57	49	25	1	1	2
		Female,	1,591			24	3	..	2
South Kingstown	4,717	Male,	2,302	1.33	63	25	4	1	3
		Female,	2,415			38	5	1	1
Richmond	1,964	Male,	948	.71	14	10	2	1	1
		Female,	1,016			4	..	..	..
Westerly	3,470	Male,	1,731	.74	26	13	5	1	..
		Female,	1,739			13	2	1	1
Washington Co.	18,715	Male,	9,217	1.06	200	89	14	7	6
		Female,	9,498			111	12	6	6

Digitized by Google

TABLE VII. DEATHS. 1862. CONTINUED.

3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Not stated.
1	1	..	..	1	..	3	1	2	2	1	1	..	..
..	..	1	..	..	3	2	4	2	3	3	3	1	..
2	1	2	2	2	8	2	3	6	4	2	2	..	1
1	2	9	1	4	4	8	2	1	3	4	3	1	..
1	..	5	..	1	6	1	3	3	4	5	..	..	1
..	..	1	..	3	7	1	7	7	5	4	1	2	2
..	..	..	..	..	1	..	..	..	4	2	..	..	..
..	..	..	..	1	2	..	1	..	3	..	1	1	..
..	..	..	..	..	..	1	1	2	4	2	..	..	..
..	..	..	..	1	..	..	..	1	1	1	4	..	..
..	..	2	1	1	3	1	..	1	3	3	2	..	..
..	2	..	..	..	..	..	1	..	2	1	..	..	..
..	..	1	1	1	3	2	3	1	..	2	2	..	..
2	1	1	..	1	4	3	1	1	..	3	1	..	..
3	5	4	..	1	9	7	3	14	1	7	4	1	2
4	5	7	1	2	6	13	5	4	7	5	1	1	..
..	..	1	..	3	..	1	3	2	1	..	1	..	..
..	..	1	3	..	2	5	3	..	..	1	..	..	..
1	1	1	..	1	1	3	3	2	5	6	2	1	1
1	..	1	..	2	4	4	2	2	2	5	2	..	..
1	1	1	1	4	10	7	3	5	6	6	1	1	2
1	3	2	..	4	8	4	4	1	5	3	4	..	..
9	9	17	5	15	41	28	23	38	34	36	15	3	7
9	13	23	5	18	40	40	20	19	31	30	20	6	2
15	13	14	8	20	34	57	44	34	32	23	8	3	..
13	15	20	6	15	56	58	39	27	24	28	24	6	..
..	..	..	..	..	..	1	..	1	..	..	..	..	..
..	1	1	1	..	1	1	..	..	..	1	..	1	..
..	..	..	1	..	1	..	..	..	..	1	..	..	..
..	..	2	1	1	..	..	..	..	1	..	..	..	..
1	..	1	..	..	2	..	..	..	..	1	1	..	..
1	..	2	1	..	1	..	2	..	2	1	2	..	..
..	..	1	1	3	3	3	1	3	..	3	3	..	..
1	..	1	..	1	2	..	..	2	4	5	2	1	..
..	..	2	..	3	1	2	1	..	5	..	3	..	..
1	2	5	1	1	3	6	2	3	1	2	3	1	..
..	..	..	..	1	1	..	..	..	1	2	1	..	..
..	..	..	1	1	1	1	..	..	..	..	..	..	..
..	1	..	1	1	1	..	1	..	..	1	..	1	..
..	..	..	..	1	..	2	..	..	3	3	..	..	..
1	1	4	3	8	9	6	3	4	6	8	8	1	..
3	3	11	5	5	8	10	4	5	11	12	7	3	..

Digitized by Google

Table VII. RECAPITULATION.

Counties.	Population, 1860.			Deaths, 1862.					
	Whole number.	Sex.		Per cent. to pop.	Whole number.	Sex.	Under 1.	1 to 2.	2 to 3.
Bristol County.	8,907	Male,	4,283	1.38	123	70	10	5	..
		Female,	4,624			53	10	2	..
Kent County...	17,303	Male,	8,172	1.46	254	124	24	10	7
		Female,	9,131			130	20	7	5
Newport County	21,896	Male,	10,556	1.31	287	141	30	7	2
		Female,	11,340			146	21	8	..
Providence Co..	113,699	Male,	54,717	1.51	1,727	866	171	68	42
		Female,	58,982			861	147	74	23
Washington Co.	18,715	Male,	9,217	1.06	200	89	14	7	6
		Female,	9,498			111	12	6	6
Whole State...	180,520	Male,	86,945	1.43	2,591	1,290	249	97	57
		Female,	93,575			1,301	210	97	34

Digitized by Google

Table VII. RECAPITULATION.

3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Not stated.
2	..	2	1	3	6	2	11	8	5	9	5	1	..
..	..	4	1	2	2	6	..	7	5	6	7	1	..
2	6	8	..	15	9	4	9	7	4	10	6	2	1
3	..	5	1	10	10	9	12	7	12	15	11	2	1
..	1	5	2	4	12	11	10	15	15	16	11	..	..
2	1	3	4	3	15	15	11	11	16	17	10	8	1
24	22	31	13	35	75	85	67	72	66	59	23	6	7
22	28	43	11	33	96	98	69	46	55	58	44	12	2
1	1	4	3	8	9	6	3	4	6	8	8	1	..
3	3	11	5	5	8	10	4	5	11	12	7	3	..
29	30	50	19	65	111	108	100	106	96	102	53	10	8
30	32	66	22	53	131	138	96	76	99	108	79	26	4

Digitized by Google

TABLE VIII. CAUSES OF DEATH. 1862.

Arranged alphabetically; showing the number of each sex, who died from each cause, in every month, and in the several periods of life.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Males.	Females.	Total.	CAUSES OF DEATH.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Unknown.
Male	1	..	..	..	..	..	..	1	..	..	..	1	3	..	..	Abscess	..	1	..	..	..	..	1	1	..	..	..	..
Female	..	..	..	1	..	..	..	..	..	..	..	..	..	1	4	"	..	..	..	..	..	..	..	1	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Atelectasis	1	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	"	1	..	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Aneurism	..	..	..	..	..	..	..	..	..	1	..	..
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	2	"	..	..	..	..	..	..	1	..	..	..	..	..
Male	..	1	5	..	2	3	1	1	5	2	4	3	27	..	..	Apoplexy	2	..	..	..	2	1	4	3	6	8	1	..
Female	1	1	2	1	..	3	1	1	1	2	1	2	..	16	43	"	..	..	..	..	1	1	..	3	4	2	5	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Asthma	..	..	..	..	..	..	..	1	..	..	..	..
Female	1	..	..	1	..	..	..	..	..	..	..	..	..	2	3	"	..	1	..	..	1	..	..	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Anæmia	..	..	..	..	1	..	..	..	..	..	..	..
Female	..	..	..	..	..	1	..	1	..	1	..	..	..	3	4	"	1	..	..	1	..	1	..	..	..	..	..	..
Male	1	..	..	1	1	1	1	1	2	3	3	..	14	..	..	Bowels, Inflammation of	4	..	..	1	3	1	1	1	2	1	..	..
Female	1	1	..	..	4	..	1	2	1	3	2	1	..	16	30	" " "	5	..	1	..	2	2	2	4	..	..	..	..
Female	..	..	..	..	..	..	1	..	..	..	..	..	..	1	1	Bladder, Disease of	..	..	..	..	..	..	..	..	1	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Bowels, Disease of	..	..	..	..	..	..	..	..	1	..	..	..
Female	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	" " "	..	..	..	..	1	..	..	..	..	..	..	..
Male	2	1	1	1	1	..	..	1	..	1	..	..	8	..	..	Brain, Congestion of	6	1	..	..	1	..	..	..	..	..	..	..
Female	3	1	1	1	..	..	..	1	1	1	..	..	..	9	17	" " "	5	1	..	..	1	..	..	..	..	2	..	..
Male	2	1	3	..	4	..	1	2	3	4	..	..	20	..	..	Brain, Inflammation of	13	1	1	..	1	1	1	2	..	..	..	..

Digitized by Google

Female	..	1	1	3	..	..	2	1	1	6	..	1	..	16	36	Brain, Inflammation of
Male	..	..	1	1	1	1	..	3	..	2	..	3	12	..	..	Brain, Disease of
Female	1	1	2	1	1	..	..	..	1	2	..	2	..	11	23	" " "
Male	..	3	..	..	1	..	..	..	..	..	1	..	5	..	..	Bronchitis
Female	..	..	..	1	..	..	..	..	..	..	..	..	..	1	6	"
Male	..	3	2	..	2	..	..	..	..	..	..	..	7	..	..	Burns and Scalds
Female	2	..	.	1	1	..	1	..	..	1	1	..	..	7	14	" " "
Male	2	2	2	1	2	3	..	..	5	6	3	1	27	..	..	Casualty
Female	1	4	2	1	..	1	..	..	..	2	..	..	..	11	38	"
Female	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1	Catarrh
Male	1	3	..	3	3	4	..	1	3	2	2	2	24	..	..	Cancer
Female	..	2	1	5	3	3	5	2	6	5	2	3	..	37	61	"
Female	1	..	..	..	..	..	..	..	..	..	..	..	..	1	1	Chicken Pox
Female	2	2	1	1	1	2	1	..	3	1	1	3	..	18	18	Child Birth
Male	..	..	..	..	..	..	..	4	..	1	..	..	5	..	.	Cholera Morbus
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	6	" "
Male	..	.	1	..	..	1	7	32	8	8	..	2	59	..	..	Cholera Infantum
Female	..	..	2	..	..	2	7	17	12	7	..	..	..	47	106	" "
Male	..	..	1	..	..	1	1	..	..	2	..	..	5	..	..	Colic
Female	..	..	..	..	..	..	1	..	..	1	..	..	..	2	7	"
Male	28	18	19	16	18	15	16	18	16	14	25	35	238	..	..	Consumption
Female	15	19	26	16	27	22	17	21	31	27	28	23	..	272	510	"
Male	2	3	..	1	4	5	4	7	..	3	..	..	29	..	..	Convulsions
Female	2	..	..	1	5	1	..	2	2	1	2	1	..	17	46	"
Female	..	1	1	..	..	..	..	..	..	..	1	1	..	4	4	Convulsions, Puerperal
Male	4	1	2	1	5	1	..	1	3	2	6	8	34	..	..	Croup
Female	4	4	2	4	3	5	1	2	1	4	4	5	..	39	73	"
Male	..	..	..	..	..	1	..	1	..	..	1	..	3	..	..	Cystitis
Female	..	1	..	..	..	..	..	..	..	..	..	..	..	1	4	"
Male	2	4	4	1	3	..	3	..	4	..	1	3	25	..	..	Debility
Female	1	3	2	1	2	1	5	1	3	3	..	2	..	24	49	"

Brain, Inflammation of	8	2	2	1	3	..	..	..	..	..	..	.
Brain, Disease of	1	2	1	..	1	2	1	1	2	1	..	..
" " "	5	1	..	1	..	..	1	2	..	1	..	..
Bronchitis	2	..	..	..	..	1	..	..	..	1	1	..
"	1	..	..	..	..	..	..	..	..	..	..	..
Burns and Scalds	6	..	..	..	..	..	..	..	1	..	..	..
" " "	4	..	..	1	1	..	..	1	..	..	..	..
Casualty	2	2	..	3	4	5	6	3	..	1	1	..
"	5	..	..	1	1	1	..	..	2	1	..	..
Catarrh	..	..	..	..	..	..	..	..	..	1	..	..
Cancer	1	..	..	..	..	..	3	9	3	3	4	1
"	..	..	..	..	..	6	7	5	11	7	1	..
Chicken Pox	1	..	..	..	..	..	..	..	..	..	..	..
Child Birth	..	..	..	1	5	10	2	..	..	..	..	..
Cholera Morbus	1	..	..	..	1	1	..	..	2	..	..	..
" "	..	..	..	..	..	..	..	..	..	..	1	..
Cholera Infantum	59	..	..	..	..	..	..	..	..	..	..	..
" "	47	..	..	..	..	..	..	..	..	..	..	..
Colic	2	..	..	..	..	..	..	1	..	1	1	..
"	..	..	..	..	..	..	..	..	1	1	..	..
Consumption	21	2	3	25	57	42	37	20	16	10	4	1
"	9	5	4	29	66	62	43	19	25	9	1	..
Convulsions	26	1	..	..	..	2	..	..	..	..	..	..
"	15	..	..	..	1	..	..	1	..	..	..	..
Convulsions, Puerperal	..	..	..	..	1	3	..	..	..	..	..	..
Croup	27	6	1	..	..	..	..	..	..	..	..	..
"	30	8	1	..	..	..	..	..	..	..	..	..
Cystitis	..	..	..	..	..	..	..	..	1	2	..	..
"	..	..	..	..	..	..	..	..	..	1	..	..
Debility	18	..	..	..	..	..	1	2	3	1	..	..
"	17	..	..	..	..	..	1	..	5	..	1	..

Digitized by Google

TABLE VIII. CAUSES OF DEATH. 1862. CONTINUED.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Males.	Females.	Total.	CAUSES OF DEATH.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Unknown.
Male	..	..	..	..	1	..	1	..	1	..	..	2	5	..	5	Delirium Tremens	..	..	..	..	1	2	1	..	..	1	..	..
Male	..	..	..	..	..	1	5	6	7	4	1	2	26	..	..	Diarrhœa	20	..	..	..	..	3	1	2	..	..	..	..
Female	2	2	..	..	..	1	1	11	11	3	2	1	..	34	60	"	25	..	..	..	2	2	2	1	1	1	..	..
Female	..	..	..	..	1	..	1	..	..	..	..	..	..	2	2	Diabetes	..	1	..	..	..	..	..	1	..	..	..	..
Male	3	1	2	2	2	4	2	1	1	5	5	3	31	..	..	Diphtheria	17	5	2	3	2	2	..	..	..	..	..	..
Female	12	3	5	6	3	3	2	..	4	2	8	2	..	50	81	"	23	19	5	2	1	..	..	..	..	..	..	..
Male	..	1	1	1	3	..	1	2	1	3	2	..	15	..	..	Dropsy	2	1	1	1	1	2	1	1	3	2	..	..
Female	4	2	1	2	4	2	..	2	5	5	2	2	..	31	46	"	3	..	..	1	3	3	1	4	7	6	2	1
Male	..	..	..	..	2	..	..	..	1	..	..	..	3	..	..	Dropsy of the Chest	..	..	..	1	..	..	1	..	..	1	..	..
Female	..	1	..	..	..	3	..	1	..	1	1	1	..	8	11	" " "	1	..	..	..	1	..	..	1	3	1	1	..
Male	..	1	1	3	..	3	5	5	2	1	2	1	24	..	..	Drowning	5	7	..	4	4	1	..	3	..	..	..	..
Female	..	..	..	..	..	..	1	2	..	1	..	1	..	5	29	"	2	1	..	..	1	1	..	..	..	..	..	..
Male	..	1	1	1	1	..	1	7	8	4	1	1	26	.	..	Dysentery	20	2	..	..	1	1	..	1	..	1	..	..
Female	..	1	..	2	..	..	2	4	11	5	1	..	..	26	52	"	14	3	..	..	2	3	2	..	1	..	1	..
Male	1	..	..	..	..	..	..	..	..	..	1	..	2	..	..	Dyspepsia	..	..	..	..	..	..	..	1	..	1	..	..
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	3	"	..	..	..	..	1	..	..	..	..	..	..	..
Male	..	.	1	..	..	1	..	..	1	1	..	..	4	..	..	Epilepsy	..	1	..	..	2	1	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	1	..	..	1	..	..	2	6	"	..	..	..	..	..	..	..	..	..	2	..	..
Male	..	..	1	..	..	1	..	..	..	1	1	1	5	..	..	Erysipelas	1	1	..	1	..	..	..	..	..	..	2	..
Female	..	..	..	..	..	..	..	..	..	1	1	1	..	3	8	"	1	..	..	..	..	..	1	..	..	..	1	..
Female	..	..	..	..	1	..	..	1	..	..	1	1	..	4	4	Fever, Puerperal	..	..	..	1	2	..	1	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	Exposure	..	..	..	..	..	..	1	..	..	..	..	..
Female	..	1	..	..	..	..	..	..	..	..	..	..	..	1	2	"	1	..	..	..	..	..	..	..	..	..	..	..
Male	6	1	1	5	2	1	3	5	5	6	5	9	49	..	..	Fever, Typhus and Typhoid	2	3	5	10	10	7	1	1	4	1	1	1

Digitized by Google

Female	4	3	1	2	1	1	1	3	4	4	10	1	..	35	84	Fever, Typhus and Typhoid	..	4	4	9	8	4	1	2	..	1	..	..
Male	..	..	..	1	..	..	..	..	1	2	..	1	5	..	..	Fits	2	..	..	1	..	..	..	..	..	2	..	..
Female	..	..	..	..	..	..	2	..	1	..	1	..	..	4	9	"	1	..	..	..	..	1	..	1	1	..	..	..
Female	..	..	..	1	..	1	..	1	..	..	..	1	..	4	4	Gastritis,	..	..	..	1	..	..	1	..	1	..	1	..
Male	..	1	..	..	..	..	..	..	..	..	..	..	1	..	1	Gravel	..	..	..	..	..	..	..	..	..	1	..	..
Female	..	..	..	..	..	..	..	..	..	1	..	..	..	1	1	Hæmatemesis	..	..	..	..	..	..	..	..	..	..	1	..
Male	1	..	..	..	..	..	..	..	..	..	..	1	2	..	..	Hæmoptysis	..	..	..	..	..	1	1	..	..	..	..	..
Female	..	1	..	..	..	..	..	..	..	..	..	..	..	1	3	"	..	..	..	..	..	..	1	..	..	..	..	..
Male	8	9	3	7	4	1	4	4	5	2	4	6	57	..	..	Heart, Disease of	5	1	..	..	2	4	11	11	14	8	1	..
Female	5	2	7	3	8	2	5	4	4	2	4	6	..	52	109	" " "	6	1	1	..	5	8	7	5	6	10	3	..
Male	..	..	1	..	..	..	..	..	2	..	..	1	4	..	..	Hemorrhage	1	..	..	..	1	..	..	1	..	1	..	..
Female	..	..	3	1	1	..	..	..	1	..	..	..	..	6	10	"	3	..	..	..	1	..	2	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Hepatitis	..	..	..	..	..	..	..	..	..	..	1	..
Female	1	1	..	..	..	..	1	2	..	..	..	..	..	5	6	"	1	..	..	..	1	1	1	..	..	1	..	..
Male	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	Hernia	1	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	1	..	..	..	..	..	2	..	..	3	4	"	1	..	..	..	..	..	1	1	..	..	..	..
Male	1	..	1	..	1	1	..	..	..	1	1	..	6	..	..	Hooping Cough	6	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	3	..	..	2	1	1	1	..	1	..	9	15	" "	9	..	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	..	..	..	..	1	..	..	..	..	1	..	1	Heat	..	..	..	..	..	..	..	1	..	..	..	..
Male	2	1	1	2	3	2	3	..	6	1	3	1	25	..	..	Hydrocephalus	22	2	..	..	..	1	..	..	..	..	..	..
Female	1	4	2	..	4	3	4	2	1	2	1	1	.	25	50	"	23	1	..	..	1	..	..	..	..	..	..	..
Female	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	Inflammation	1	..	..	..	..	..	..	..	..	..	..	..
Male	..	1	..	..	1	..	..	..	..	..	..	.	2	..	..	Influenza	..	..	..	..	..	..	..	..	..	1	1	..
Female	..	..	..	..	..	..	..	..	..	..	..	1	..	1	3	"	..	..	..	..	..	..	..	..	..	1	..	..
Male	1	1	2	1	2	..	2	1	1	..	1	1	13	..	..	Intemperance	..	..	..	..	1	2	3	4	2	1	..	..
Female	..	..	1	..	..	1	..	..	..	1	..	1	..	4	17	"	..	..	..	..	2	..	1	1	..	..	..	..
Male	..	..	..	..	..	..	..	1	1	..	..	..	2	..	..	Insanity	..	..	..	..	..	..	..	2	..	..	..	..
Female	..	..	..	..	..	2	..	..	1	2	..	..	..	5	7	"	..	..	..	..	..	2	1	..	1	1	..	..
Male	1	..	..	..	1	1	1	..	..	..	..	..	4	..	..	Jaundice	1	..	..	1	..	..	..	..	1	..	1	..
Female	..	..	..	..	..	..	1	..	..	..	..	..	..	1	5	"	..	..	..	..	..	..	..	..	..	..	1	..
Male	1	2	2	..	1	..	..	..	..	1	2	1	10	..	.	Kidneys, Disease of	..	..	..	..	..	2	1	2	1	2	2	..

Digitized by Google

TABLE VIII. CAUSES OF DEATH. 1862. CONTINUED.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Males.	Females.	Total.	CAUSES OF DEATH.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Unknown.
Female	..	..	1	..	..	2	..	..	2	1	1	..	..	7	17	Kidneys, Disease of	..	..	..	..	3	..	..	2	..	2	..	..
Female	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	Laryngitis	..	1	..	..	..	..	..	..	..	..	..	..
Male	4	1	1	1	1	3	1	..	..	2	3	1	18	..	..	Liver, Disease of	3	..	..	..	..	2	3	4	3	3	..	..
Female	1	..	1	1	2	1	..	..	1	5	1	1	..	14	32	" " "	..	..	..	..	..	4	4	1	4	1	..	..
Male	2	1	..	1	1	..	..	..	..	..	..	..	5	..	..	Lungs, Congestion of	4	..	..	..	..	..	..	..	..	1	..	..
Female	1	1	..	..	2	..	..	..	..	..	..	1	..	5	10	" " "	2	..	..	..	..	1	..	1	..	1	..	..
Female	..	..	..	..	..	..	..	..	1	..	..	..	..	1	1	Leucorrhœa	..	..	..	..	..	1	..	..	..	..	..	..
Male	1	1	..	1	..	2	1	..	2	1	..	..	9	..	..	Malformation	9	..	..	..	..	..	..	..	..	..	..	..
Female	1	..	..	..	1	..	..	..	..	..	..	..	..	2	11	"	2	..	..	..	..	..	..	..	..	..	..	..
Male	1	..	1	..	1	4	2	..	6	1	..	1	17	..	..	Marasmus	17	..	..	..	..	..	..	..	..	..	..	..
Female	1	..	2	1	..	1	1	2	4	1	2	1	..	16	33	"	15	..	..	..	..	..	..	..	1	..	..	..
Male	..	..	..	..	2	..	2	..	1	1	..	..	6	..	..	Measles	6	..	..	..	..	..	..	..	..	..	..	..
Female	1	..	..	..	..	1	..	..	1	1	2	..	..	6	12	"	5	..	..	..	1	..	..	..	..	..	..	..
Male	1	1	..	..	1	..	1	1	..	..	1	..	6	..	..	Mortification	..	..	..	..	..	..	..	..	1	2	3	..
Female	..	..	..	..	..	..	..	..	..	..	..	1	..	1	7	"	..	1	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	1	..	..	..	..	..	..	..	..	1	..	1	Murder	..	..	..	..	..	..	1	..	..	..	..	..
Male	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	Neglect	1	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	..	1	..	..	..	..	1	2	"	1	..	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Neuralgia	..	..	..	..	..	..	..	..	1	..	..	..
Female	..	..	..	..	..	..	..	..	..	..	1	..	..	1	2	"	..	..	..	..	..	..	..	..	1	..	..	..
Male	7	4	..	5	..	4	2	3	2	6	9	1	43	..	..	Old Age	..	..	..	..	..	..	..	..	1	15	27	..
Female	6	8	9	10	10	10	6	10	5	6	11	9	..	100	143	" "	..	..	..	..	..	..	..	..	1	26	73	..
Male	..	1	2	2	3	2	..	2	2	2	3	1	20	..	..	Paralysis	1	..	1	..	..	2	2	..	6	7	1	..
Female	2	..	2	3	2	1	1	1	2	..	..	2	..	16	36	"	..	..	..	..	..	..	1	1	1	10	3	..

Digitized by Google

Female	..	..	..	..	..	1	..	..	..	..	..	..	..	1	1	Ovaries, Disease of	..	..	..	..	..	..	..	1	..	..	..	..	..
Male	..	..	..	..	..	..	..	1	1	..	..	..	2	..	2	Phlebitis	..	..	..	..	..	1	1	..	..	..	..	..	..
Male	..	..	1	1	2	..	1	3	..	1	..	..	9	..	..	Peritonitis	1	1	2	..	..	..	1	..	2	1	1	..	..
Female	..	..	..	..	1	1	..	..	..	2	..	1	..	5	14	"	..	1	..	..	3	1	..	..	..	..	..	..	..
Male	..	..	..	1	1	..	..	..	1	..	..	..	3	..	..	Pleurisy	..	..	..	..	1	..	..	1	1	..	..	..	..
Female	..	..	..	..	1	..	..	..	..	1	..	1	..	3	6	"	..	..	..	..	..	..	2	..	..	1	..	..	..
Male	9	5	9	2	10	6	3	2	4	5	5	4	64	..	..	Pneumonia	17	1	..	1	5	9	5	9	8	5	3	1	
Female	7	10	9	9	8	5	3	2	4	3	6	7	..	73	137	"	24	2	1	..	4	5	3	7	14	8	5	..	
Male	..	1	..	..	..	..	..	..	1	..	..	..	2	..	2	Poisoning	1	1	..	..	..	..	..	..	..	..	..	..	
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Purpura	..	..	..	..	..	..	1	..	..	..	..	..	
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	2	"	1	..	..	..	..	..	..	..	..	..	..	..	
Male	..	..	1	..	..	..	..	..	..	..	..	1	2	..	..	Pyæmia	..	..	..	1	..	..	..	..	..	..	1	..	
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	3	"	..	..	..	..	..	..	..	..	..	1	..	..	
Female	..	..	..	..	1	..	..	..	..	..	..	..	..	1	1	Quinsy	..	..	1	..	..	..	..	..	..	..	..	..	
Male	..	..	..	..	1	..	..	..	..	1	..	..	2	..	..	Rheumatism	..	..	..	..	..	..	1	..	..	1	..	..	
Female	1	..	..	1	..	..	..	..	..	..	..	..	..	2	4	"	..	1	..	..	..	..	1	..	..	..	..	..	
Male	3	2	1	3	3	3	1	..	3	4	..	2	25	..	..	Scarlatina	22	2	1	..	..	..	..	..	..	..	..	..	
Female	1	1	4	1	5	..	1	1	..	2	3	3	..	22	47	"	14	6	1	..	..	1	..	..	..	..	..	..	
Male	..	2	..	1	1	..	1	2	1	..	2	1	11	..	..	Scrofula	4	2	..	2	1	1	1	..	..	..	..	..	
Female	..	..	..	..	..	1	..	..	..	1	..	1	..	3	14	"	3	..	..	..	..	..	..	..	..	..	..	..	
Male	..	1	1	..	..	..	..	..	..	..	..	..	2	..	..	Small Pox	1	..	..	..	..	1	..	..	..	..	..	..	
Female	2	1	..	..	1	..	..	..	..	..	..	..	..	4	6	" "	2	..	..	..	..	1	..	1	..	..	..	..	
Male	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	Skin, Disease of	1	..	..	..	..	..	..	..	..	..	..	..	
Female	..	..	..	..	..	..	..	..	1	..	..	..	..	1	2	" " "	..	..	..	..	..	1	..	..	..	..	..	..	
Male	1	..	..	1	..	..	..	..	..	..	..	1	3	..	..	Spine, Disease of	..	..	..	2	..	1	..	..	..	..	..	..	
Female	1	..	1	1	..	1	..	..	..	1	..	..	..	5	8	" " "	1	..	..	1	..	1	1	1	..	..	..	..	
Male	..	..	..	..	1	1	..	1	..	..	..	..	3	..	..	Stomach, Disease of	..	..	..	..	..	..	..	..	3	..	..	..	
Female	..	..	..	..	..	..	..	..	..	..	..	..	..	1	4	" " "	..	..	..	..	..	..	..	..	..	1	..	..	
Male	..	..	..	..	1	..	..	..	..	..	1	..	2	..	..	Suffocation	..	..	..	..	..	..	..	1	..	..	..	1	
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	1	3	"	1	..	..	..	..	..	..	..	..	..	..	..	
Male	1	..	..	..	1	1	1	2	..	..	..	..	6	..	..	Suicide	..	..	..	..	1	2	..	1	1	1	..	..	

Digitized by Google

TABLE VIII. CAUSES OF DEATH. 1862. CONTINUED.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Males.	Females.	Total.	CAUSES OF DEATH.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Unknown.
Female	..	..	..	..	..	..	..	1	..	..	..	1	..	2	8	Suicide	..	..	..	..	..	1	..	1	..	..	..	..
Male	..	..	..	1	..	..	1	..	..	..	1	..	3	..	3	Syphilis	1	..	..	..	..	..	1	1	..	..	..	..
Male	..	..	..	..	..	..	..	2	..	..	..	..	2	..	..	Tabes Mesenterica	2	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	1	..	..	..	..	..	..	1	3	" "	..	..	..	..	..	..	..	..	1	..	..	..
Male	1	1	2	..	1	1	..	2	6	1	3	1	19	..	..	Teething	19	..	..	..	..	..	..	..	..	..	..	..
Female	1	3	..	..	2	1	3	5	3	1	1	..	..	20	39	"	20	..	..	..	..	..	..	..	..	..	..	..
Male	..	1	..	..	1	1	..	1	..	1	1	..	6	..	6	Tetanus	3	..	1	1	..	..	1	..	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Thrush	1	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	2	..	1	..	..	..	..	3	4	"	3	..	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	..	..	..	..	1	..	..	1	..	2	1	..	Tracheitis	1	1	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	1	..	..	..	..	..	..	..	..	..	..	3	"	1	..	..	..	..	..	..	..	..	..	..	..
Male	1	..	1	..	..	1	..	..	..	..	..	..	3	..	..	Tumor	..	1	..	..	..	..	1	1	..	..	..	..
Female	..	2	2	..	..	2	..	..	1	..	..	..	..	7	10	"	..	..	..	..	..	..	..	4	1	2	..	..
Male	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	Ulcer	..	..	..	..	..	..	..	1	..	..	..	..
Female	..	..	..	..	..	..	..	..	1	..	..	1	..	2	3	"	1	..	..	..	..	1	..	..	..	..	..	..
Male	7	5	4	7	8	10	10	6	12	12	14	8	103	..	..	Unknown	48	1	1	4	5	5	3	12	6	10	6	2
Female	9	11	9	6	7	3	7	5	9	8	8	3	..	85	188	"	40	4	1	1	5	6	4	3	5	10	4	2
Male	..	..	..	..	..	..	..	..	..	..	1	..	1	..	1	Urethra, Stricture of	..	..	..	..	..	..	..	..	..	..	1	..
Female	..	..	2	..	..	..	..	..	..	..	..	..	..	2	2	Worms	2	..	..	..	..	..	..	..	..	..	..	..
Male	..	..	..	2	..	1	..	..	..	2	..	2	7	..	7	Wounds in Battle	..	..	..	2	3	..	1	1	..	..		..

Digitized by Google

Table IX. CLASSIFICATION AND PERCENLAGE. 1862.

Showing what part of the mortality, in the whole State and each division, is ascribed to each several cause, and class of causes.

DIVISIONS OF THE STATE.									PERCENTAGE IN EACH DIVISION.					
Bristol County.	Kent County.	Newport County	Providence Co.; towns.	Providence city.	Washington Co.	Whole State.	CAUSES OF DEATH.	Percentage in the whole State.	Washington Co.	Providence city.	Providence Co.; towns.	Newport County	Kent County.	Bristol County.
123	254	287	813	914	200	2,591	All Causes.....							
119	235	274	702	884	189	2,403	Specified Causes..... ...	100.00	100.00	100.00	100.00	100.00	100.00	100.00
24	64	27	184	199	66	564	I. Zymotic Diseases.....	23.47	34.92	22.51	26.21	9.85	27.23	20.17
							SPORADIC DISEASES.							
22	35	27	66	91	14	255	II. General, or not localized..	10.61	7.41	10.30	9.40	9.85	14.89	18.49
19	30	56	47	113	23	288	III. Nervous System	11.98	12.17	12.78	6 70	20.44	12.77	15.96
28	62	62	231	263	46	692	IV. Respiratory System.....	28.80	24.34	29.75	32.91	22.62	26.38	23.53
4	6	20	31	52	..	113	V. Circulatory System.....	4.70	..	5.88	4.42	7.30	2.55	3.36
4	13	33	47	57	6	160	VI. Digestive System.....	6.66	3.18	6.45	6.70	12.05	5.53	3.36
..	1	3	6	12	4	26	VII. Urinary System..	1.08	2.12	1.36	.85	1.10	.42	..
1	1	4	5	11	2	24	VIII. Generative System.....	1.00	1.06	1.25	.71	1.46	.42	.84
..	3	3	4	2	..	12	IX. Locomotive System.....	.50	..	.23	.57	1.10	1.28	..
..	..	1	1	..	..	2	X. Integumentive System.....	.08	..	..	.14	.36	..	..
9	10	27	41	39	17	143	XI. Old Age.....	5.95	8.99	4.41	5.84	9.85	4.26	7.56
8	10	11	39	45	11	124	XII. External Causes.....	5.16	5.82	5.09	5.55	4.02	4.26	6.73

Digitized by Google

TABLE IX. CLASSIFICATION AND PERCENTAGE. 1862. CONTINUED.

DIVISIONS OF THE STATE.									PERCENTAGE IN EACH DIVISION.					
Bristol County.	Kent County.	Newport County	Providence Co.; towns.	Providence city.	Washington Co.	Whole State.	CAUSES OF DEATH.	Percentage in the whole State.	Washington Co.	Providence City.	Providence Co.; towns.	Newport County	Kent County.	Bristol County.
							I. ZYMOTIC DISEASES							
..	..	..	..	1	..	1	Chicken Pox	.04	..	.11	..	..	..	..
5	7	3	40	44	7	106	Cholera Infantum	4.41	3.70	4.98	5.70	1.10	2.98	4.20
1	..	1	3	1	..	6	Cholera Morbus	.25	..	.11	.43	.36	..	.84
..	6	..	32	31	4	73	Croup	3.04	2.12	3.51	4.56	..	2.55	..
5	2	2	17	31	3	60	Diarrhœa	2.50	1.59	3.51	2.42	.73	.85	4.20
..	7	..	22	17	35	81	Diphtheria	3.37	18.52	1.92	3.13	..	2.98	..
1	13	1	11	22	4	52	Dysentery	2.16	2.12	2.49	1.57	.36	5.53	.84
1	2	..	..	5	..	8	Erysipelas	.33	..	.57	..	..	.85	.84
1	1	..	1	..	1	4	Fever, Puerperal	.17	.53	..	.14	..	.42	.84
5	11	15	27	21	5	84	Fever, Typhus and Typhoid	3.49	2.65	2.38	3.84	5.48	4.68	4.20
..	1	1	8	3	2	15	Hooping Cough	.62	1.06	.34	1.14	.36	.42	..
..	2	..	..	..	1	3	Influenza	.12	.53	..	..	..	.85	..
2	8	..	1	1	..	12	Measles	.50	..	.11	.14	..	3.40	1.68
..	..	..	1	2	..	3	Pyæmia	.12	..	.23	.14	..	..	..
3	4	3	19	14	4	47	Scarlatina	1.96	2.12	1.58	2.71	1.10	1.70	2.52
..	..	..	2	4	.	6	Small Pox	.25	..	.45	.28	..	..	..
..	..	1	..	2	..	3	Syphilis	.12	..	.23	..	.36	..	..
24	64	27	184	199	66	564	Total	23.47	34.92	22.51	26.21	9.85	27.23	20.17

Digitized by Google

							II. General, or not localized.							
1	..	1	..	2	..	4	Abscess	.17	..	.23	..	.36	..	.84
..	..	1	..	3	..	4	Anæmia	.17	..	.34	..	.36	..	..
6	8	4	21	20	2	61	Cancer	2.54	1.06	2.26	2.99	1.46	3.40	5.04
7	4	9	10	15	4	49	Debility	2.04	2.12	1.70	1.43	3.29	1.70	5.88
4	7	5	16	9	5	46	Dropsy	1.92	2.65	1.02	2.28	1.83	2.98	3r36
..	2	..	2	5	1	10	Hemorrhage	.42	.53	.57	.28	..	.85	..
..	..	..	1	..	..	1	Inflammation	.04	..	..	.14	..	..	..
1	2	..	7	1	..	11	Malformation	.46	..	.11	1.00	..	.85	.84
2	..	3	4	24	..	33	Marasmus	1.37	..	2.72	.57	1.10	..	1.68
..	1	1	2	2	1	7	Mortification	.29	.53	.23	.28	.36	.42	..
..	..	..	..	2	..	2	Purpura Hemorrhagica	.08	..	.23	..	..	..	..
1	7	2	1	3	..	14	Scrofula	.58	..	.34	.14	.73	2.98	.84
..	3	1	2	3	1	10	Tumor	.42	.53	.34	.28	.36	1.28	..
..	1	..	..	2	..	3	Ulcer	.12	..	.23	..	..	.42	..
22	35	27	66	91	14	255	Totals	10.61	7.41	10.31	9.40	9.85	14.89	18.49
							III. Nervous System.							
2	3	14	2	19	3	43	Apoplexy	1.79	1.59	2.15	.28	5.12	1.28	1.68
..	1	1	2	13	..	17	Brain, Congestion of.	.71	..	1.47	.28	.36	.42	..
2	7	6	3	15	3	36	Brain, Inflammation of	1.50	1.59	1.70	.43	2.19	2.98	1.68
..	1	3	5	12	2	23	Brain, Disease of	.96	1.06	1.36	.71	1.10	.42	..
2	5	11	13	21	3	55	Convulsions and Fits	2.29	1.59	2.38	1.85	4.02	2.13	1.68
1	..	1	1	2	..	5	Delirium Tremens	.21	..	.23	.14	.36	..	.84
..	..	3	1	2	..	6	Epilepsy	.25	..	.23	.14	1.10	..	..
3	7	8	11	19	2	50	Hydrocephalus	2.08	1.06	2.15	1.57	2.92	2.98	2.52
..	..	1	2	2	2	7	Insanity	.29	1.06	.23	.28	.36	..	..
..	1	..	..	1	..	2	Neuralgia	.08	.	.11	..	..	.42	..
8	4	4	7	5	8	36	Paralysis	1.50	4.23	.57	1.00	1.46	1.70	6.73

Digitized by Google

TABLE IX. CLASSIFICATION AND PERCENTAGE. 1862. CONTINUED.

DIVISIONS OF THE STATE.									PERCENTAGE IN EACH DIVISION.					
Bristol County.	Kent County.	Newport County	Providence Co.; towns.	Providence city.	Washington Co.	Whole State.	CAUSES OF DEATH.	Percentage in the whole State.	Washington Co.	Providence City.	Providence Co.; towns.	Newport County	Kent County.	Bristol County.
1	1	4	..	2	..	8	Tetanus and Atelectasis	.33	..	.23	..	1.46	.42	.84
19	30	56	47	113	23	288	Totals	11.98	12.17	12.78	6.70	20.44	12.77	15.96
							IV. RESPIRATORY SYSTEM.							
..	..	..	1	2	..	3	Asthma	.12	..	.23	.14	..	..	..
..	..	..	4	2	.	6	Bronchitis	.25	..	.23	.57	..	..	..
..	..	..	..	1	..	1	Catarrh	.04	..	.11	..	..	..	..
17	51	41	174	191	36	510	Consumption	21.22	19.05	21.60	24.78	14.97	21.70	14.29
5	1	..	1	3	1	11	Dropsy of the Chest	.46	.53	.34	.14	..	.42	4.20
..	..	1	1	1	..	3	Hæmoptysis	.12	..	.11	.14	.36	..	..
..	..	..	1	..	..	1	Laryngitis	.04	..	..	.14	..	..	..
2	..	..	1	7	..	10	Lungs, Congestion of	42	..	.79	.14	..	..	1.68
..	1	1	2	2	..	6	Pleurisy	.25	..	.23	.28	.36	.42	..
4	9	19	43	54	8	137	Pneumonia	5.70	4.23	6.11	6.13	6.94	3.83	3.36
..	..	..	..	..	1	1	Quinsy	.04	.53	..	..	..	..	..
..	..	..	3	..	..	3	Tracheitis	.12	..	..	.43	..	..	..
28	62	62	231	263	46	692	Totals	28.80	24.34	29.75	32.90	22.63	26.38	23.53

Digitized by Google

							V. Circulatory System.							
..	..	1	..	1	..	2	Aneurism	.08	..	.11	..	.36	..	..
4	6	19	31	49	..	109	Heart, Affections of	4.53	..	5.54	4.42	6.94	2.55	3.36
..	..	..	..	2	..	2	Phlebitis	.08	..	.23	..	..	..	..
4	6	20	31	52	0	113	Totals	4·70	..	5.88	4.42	7.30	2.55	3.36
							VI. Digestive System.							
..	1	8	12	9	..	30	Bowels, Inflammation of	1.25	..	1.02	1.71	2.92	.42	..
..	..	2	..	..	..	2	Bowels, Disease of	.08	..	..	..	.73	..	..
..	1	1	3	1	1	7	Colic	.29	.53	.11	.43	.36	.42	..
..	2	..	..	1	..	3	Dyspepsia	.12	..	.11	..	..	.85	..
..	1	..	..	3	..	4	Gastritis	.17	..	.34	..	..	.42	..
..	..	1	..	..	..	1	Hæmatemesis	.04	..	..	..	.36	..	..
..	..	..	..	5	1	6	Hepatitis	-25	.53	.57	..	..	..	..
..	..	1	..	3	..	4	Hernia	.17	..	.34	..	.36	..	..
..	..	2	2	..	1	5	Jaundice	.21	.53	..	.28	.73	..	..
3	..	9	5	14	1	32	Liver, Disease of	1.33	.53	1.58	.71	3.29	..	2.52
..	..	..	2	12	..	14	Peritonitis	.58	.	1.36	.28	..	..	..
..	..	..	2	1	1	4	Stomach, Disease of	.17	.53	.11	.28	..	..	..
..	1	..	..	1	1	3	Tabes Mesenterica	.12	.53	.11	..	..	.42	..
1	6	8	17	7	..	39	Teething	1.62	..	.79	2.42	2.92	2.55	.84
..	1	..	3	..	..	4	Thrush	.17	..	..	.43	..	.42	..
..	..	1	1	..	..	2	Worms	.08	..	..	.14	.36	..	..
4	13	33	47	57	6	160	Totals	6.66	3.18	6.45	6.70	12.05	5.53	3.36
							VII. Urinary System.							
..	..	..	1	..	..	1	Bladder, Disease of	.04	..	..	.14	..	..	..
..	..	..	1	3	..	4	Cystitis	.17	..	.34	.14	..	..	..
..	..	..	..	2	..	2	Diabetes	.08	..	.23	..	..	..	..

Digitized by Google

TABLE IX. CLASSIFICATION AND PERCENTAGE. 1862. CONTINUED.

DIVISIONS OF THE STATE.							CAUSES OF DEATH.		PERCENTAGE IN EACH DIVISION.					
Bristol County.	Kent County.	Newport County	Providence Co.; towns.	Providence city.	Washington Co.	Whole State.		Percentage in the whole State.	Washington Co.	Providence city.	Providence Co.; towns.	Newport County	Kent County.	Bristol County.
..	..	..	..	..	1	1	Gravel	.04	.53	..	..	..	..	..
..	1	3	4	7	2	17	Kidneys, Disease of	.71	1.06	.79	.57	1.10	.42	..
..	..	..	..	..	1	1	Urethra, Stricture of	.04	.53	..	..	..	..	..
0	1	3	6	12	4	26	Totals	1.08	2.12	1.36	.85	1.10	.42	..
							VIII. GENERATIVE SYSTEM.							
1	1	3	5	10	2	22	Child Birth	.92	1.06	1.13	.71	1.10	.42	.84
..	..	..	..	1	..	1	Leucorrhœa	.04	..	.11	..	..	..	..
..	..	1	..	..	..	1	Ovaries, Disease of	.04	..	..	..	.36	..	..
1	1	4	5	11	2	24	Totals	1.00	1.06	1.24	.71	1.46	.42	.84
							IX. LOCOMOTIVE SYSTEM.							
..	1	1	2	..	..	4	Rheumatism	.17	..	..	.28	.36	.42	..
..	2	2	2	2	..	8	Spine, Disease of	.33	..	.23	.28	.73	.85	..
0	3	3	4	2	0	12	Totals	.50	..	.23	.57	1.10	1.27	..

Digitized by Google

							X. Integumentive System.							
..	..	1	1	..	..	2	Skin, Disease of	.08	..	..	.14	.36	..	..
9	10	27	41	39	17	143	XI. Old Age.	5.95	8.99	4.41	5.84	9.85	4.26	7.56
							XII. External Causes.							
..	1	.	5	8	..	14	Burns and Scalds	.58	..	.90	.71	..	.42	..
2	4	4	13	15	..	38	Casualty	1.58	..	1.70	1.85	1.46	1.70	1.68
1	2	6	13	3	4	29	Drowning	1.21	2.12	.34	1.85	2.19	.85	.84
..	..	..	2	2	..	4	Exposure and Neglect	.17	..	.23	.28	..	..	..
1	..	..	..	..	..	1	Heat	.04	..	..	..	..	..	.84
1	1	..	3	11	1	17	Intemperance	.71	.53	1.24	.43	..	.42	.84
..	1	..	..	..	..	1	Murder	.04	..	..	..	..	.42	..
..	..	..	1	1	..	2	Poisoning	.08	..	.11	.14	..	..	..
..	..	1	2	..	..	3	Suffocation	.12	..	..	.28	.36	..	..
..	..	..	..	3	5	8	Suicide	.33	2.65	.34	..	..	..	..
3	1	..	..	2	1	7	Wounds in Battle	.29	.53	.23	..	..	.42	2.52
8	10	11	39	45	11	124	Totals	5.16	5.82	5.09	5.55	4.02	4.26	6.73
4	19	13	111	30	11	188	Not stated	..	..	..	..	..	..	..

Digitized by Google

Table X. OCCUPATIONS AND AGES AT DEATH. 1862.

Showing the average age at death, in the several occupations, Providence City being separated from the rest of the State, and ages under twenty being excluded.

OCCUPATIONS.	WHOLE STATE.			PROVIDENCE CITY.			REST OF THE STATE.		
	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.
I. Agriculturists.									
Farmer	127	8,250	64.96	2	103	51.50	125	8,147	65.17
Gardener	4	255	63.75	..	..	..	4	255	63.75
II. Mechanics and Artisans.									
Axe-grinder	1	37	37.00	..	..	..	1	37	37.00
Baker	1	68	68.00	..	..	..	1	68	68.00
Blacksmith	12	690	57.50	3	169	56.33	9	521	57.88
Bleacher	1	73	73.00	1	73	73.00	..	..	..
Block-printer	1	45	45.00	..	..	..	1	45	45.00
Boiler-maker	1	46	46.00	1	46	46.00	..	..	..
Bookbinder	1	53	53.00	1	53	53.00	..	..	..
Box-maker	1	33	33.00	1	33	33.00	..	..	..
Brewer	1	50	50.00	..	..	..	1	50	50.00
Cabinet-maker	2	146	73.00	1	64	64.00	1	82	82.00
Calico-printer	1	55	55.00	..	..	..	1	55	55.00
Carder	1	27	27.00	..	..	..	1	27	27.00
Carpenter	22	1,210	55.00	6	299	49.83	16	911	56.93
Carriage-maker	1	65	65.00	..	..	..	1	65	65.00
Cigar-maker	3	102	34.00	1	36	36.00	2	66	33.00
Confectioner	1	53	53.00	1	53	53.00	..	..	..
Cooper	2	141	70.50	1	61	61.00	1	80	80.00
Dyer	1	52	52.00	1	52	52.00	..	..	..
Gas-fitter	2	68	34.00	2	68	34.00	..	..	..
Harness-maker	1	46	46.00	1	46	46.00	..	..	..
Jeweler	12	389	32.41	8	281	35.12	4	108	27.00
Machinist	21	1,056	50.28	10	576	57.60	11	480	43.63
Marble-worker	1	30	30.00	1	30	30.00	..	..	..
Mason	9	500	55.55	5	241	48.20	4	259	64.75
Miller	2	100	50.00	2	100	50.00	..	..	..
Millwright	2	1.0	60.00	1	54	54.00	1	66	66.00
Moulder	2	82	41.00	2	82	41.00	..	..	..
Nail-maker	3	116	38.66	3	116	38.66	..	..	..
Operative	9	344	38.22	1	31	31.00	8	313	39.12
Overseer	1	74	74.00	..	..	..	1	74	74.00
Painter	8	394	49 25	1	43	43.00	7	351	50.14
Paper-maker	1	61	61.00	1	61	61.00	..	..	..
Pattern-maker	1	41	41.00	1	41	41.00	..	..	..
Printer	4	143	35.75	3	82	27.33	1	61	61.00
Rubber-worker	1	45	45.00	1	45	45.00	..	..	..
Scissors-grinder	1	70	70.00	1	70	70.00	..	..	..

Digitized by Google

TABLE X. OCCUPATIONS. CONTINUED.

OCCUPATIONS.	WHOLE STATE.			PROVIDENCE CITY.			REST OF THE STATE.		
	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.
Shoemaker	8	509	63.62	2	70	35.00	6	439	73.16
Silversmith	2	71	35.50	2	71	35.50	..	..	..
Skirt Braid-maker	1	66	66.00	1	66	66.00	..	..	..
Spindle-maker	1	53	53.00	..	..	.	1	53	53.00
Spinner	5	266	53.20	1	62	62.00	4	204	51 00
Stonecutter	3	161	53.66	1	56	56.00	2	105	52.50
Sugar Refiner	1	58	58.00	..	..	..	1	58	58.00
Tanner	1	27	27.00	1	27	27.00	..	..	..
Tinplate-worker	2	75	37.50	2	75	37.50	..	..	..
Weaver	6	183	30.50	1	50	50.00	5	133	26.60
Wheelwright	5	337	67.40	2	131	65.50	3	206	68.66
Wood-turner	1	80	80.00	1	80	80.00	..	..	..
Not Specified	2	86	43.00	1	25	25.00	1	61	61.00
III. LABORERS.									
Laborer	122	5,664	46.42	55	2,507	45.58	67	3,157	47.11
Teamster	3	104	34.66	..	..	..	3	104	34.66
IV. BUSINESS MEN.									
Accountant	2	60	30.00	2	60	30.00	..	..	..
Apothecary	1	37	37.00	1	37	37.00	..	..	..
Barber	6	246	41.00	4	187	46.75	2	59	29 50
Board'g-house keeper	1	79	79.00	..	..	..	1	79	79.00
Butcher	1	21	21.00	..	..	..	1	21	21.00
Cashier	1	37	37.00	1	37	37.00	..	..	..
Carriage-dealer	1	55	55.00	1	55	55.00	..	..	..
Clerk	8	261	32.62	7	241	34.42	1	20	20.00
Clothier	2	159	79.50	1	69	69.00	1	90	90.00
Conductor	1	46	46.00	1	46	46.00	..	..	..
Cook	1	48	48.00	1	48	48.00	..	..	..
Dresser-tender	2	84	42.00	..	..	..	2	84	42.00
Engineer	2	102	51.00	2	102	51.00	..	..	..
Grocer	6	314	52.33	5	267	53.40	1	47	47.00
Hotel-keeper	1	58	58.00	..	..	..	1	58	58.00
Lumber-dealer	1	32	32.00	1	32	32.00	..	..	..
Manufacturer	7	394	56.28	2	194	62 00	5	270	54.00
Marketman	1	37	37.00	1	37	37.00	..	..	..
Merchant	21	1,207	57.47	8	543	67.87	13	664	51.07
Pedler	2	127	63.50	2	127	63.50	..	..	..
Saloon-keeper	1	39	39.00	1	39	39.00	..	..	..
Stable-keeper	2	122	61.00	2	122	61.00	..	..	..
Store-keeper	1	40	40.00	..	..	..	1	40	40.00
Tailor	8	511	63.87	2	84	42.00	6	427	71.16
Trader	7	327	46.71	3	130	43.33	4	197	49.25
Watchman	2	127	63.50	2	127	63.50	..	..	..
Not Specified	8	503	62.87	2	139	69.50	6	364	60.66

Digitized by Google

TABLE X. OCCUPATIONS. CONTINUED.

OCCUPATIONS.	WHOLE STATE.			PROVIDENCE CITY.			REST OF THE STATE.		
	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.	Number who died.	Aggregate age.	Average age.
V. PROFESSIONAL MEN									
Clergyman	2	151	75.50	1	76	76.00	1	75	75.00
Judge	1	50	50.00	..	..	..	1	50	50.00
Lawyer	2	101	50.50	..	..	..	2	101	50.50
Musician	2	74	37.00	2	74	37.00	..	..	..
Physician	2	151	75.50	1	62	62.00	1	89	89.00
Professor	1	76	76.00	..	..	..	1	76	76.00
Teacher	1	23	23.00	..	..	..	1	23	23.00
VI. SEAFARING MEN.									
Fisherman	1	47	47.00	..	..	..	1	47	47.00
Mariner	30	1,512	50.40	9	495	55.00	21	1,017	48.43
Oysterman	2	100	50.00	1	31	31.00	1	69	69.00
Shipmaster	3	220	73.33	2	162	81.00	1	58	58.00
VII. SOLDIERS.	21	623	29.66	12	382	31.83	9	241	26.77
VIII. FEMALES.									
Dress-maker	1	48	48.00	..	..	..	1	48	48 00
Harness-maker	1	52	52.00	..	..	..	1	52	52.00
Seamstress	7	395	56.42	2	94	47.00	5	301	60 20
Servant	3	156	52.00	..	..	..	3	156	52.00
Sister of Mercy	1	46	46.00	1	46	46.00	..	..	..
Tailoress	4	222	55.50	..	..	..	4	222	55.50
Teacher	1	26	26.00	..	..	..	1	26	26.00
Washerwoman	1	56	56.00	..	..	..	1	56	56.00
Weaver	6	143	23.83	..	..	..	6	143	23.83

RECAPITULATION.

AGRICULTURISTS	131	8,505	64.92	2	103	51.50	129	8,402	65.13
MECHANICS AND ARTISANS	173	8,597	49.69	77	3,619	47.00	96	4,978	51.85
LABORERS	125	5,768	46 14	55	2,507	45.45	70	3,261	46.58
BUSINESS MEN	97	5,073	52.29	52	2,653	51.01	45	2,420	53.77
PROFESSIONAL MEN.	11	626	56.90	4	212	53.00	7	414	59.14
SEAFARING MEN	36	1,879	52.19	12	688	57.33	24	1,191	49.62
SOLDIERS	21	623	29.66	12	382	31.83	9	241	26.77
FEMALES	25	1,144	45.76	3	140	46.66	22	1,004	45 63
ALL CLASSES	619	32,215	52.04	217	10,304	47.48	402	21,911	54.50

Digitized by Google

Table XI. OCCUPATIONS AND CAUSES OF DEATH. 1862.

Deaths at ages under twenty years being excluded.

OCCUPATIONS.	Whole number by given causes.	Abscess.	Aneurism.	Apoplexy & Paralysis.	Asthma.	Bladder, Inflam. of	Bowels, Inflam. of.	Brain, Affections of.	Bronchitis.	Cancer.	Casualty.	Cholera Morbus.	Colic.	Consumption.	Debility.	Diarrhœa.	Diphtheria.	Dropsy.	Dropsy of the Chest.	Drowning.	Dysentery.	Dyspepsia.	Enteritis.	Epilepsy.	Erysipelas.	Fever, Typhoid.	Gunshot Wound.	Heart, Disease of.	Hemorrhage.	Insanity.	Intemperance and Delirium Tremens.	Kidneys, Disease of.	Liver, Disease of.	Mortification.	Old Age.	Pleurisy.	Pneumonia.	Rheumatism.	Scrofula.	Stomach, Disease of.	Suicide.	Tetanus.
I. Agriculturists.																																										
Farmer	94			10			1	1	1	8		1		14			4	2	1	1	1				2	6		10	1		1	2		3	11		7		1	1	3	1
Gardener	4									1								1								1											1					
II. Mechanics and Artisans.																																										
Blacksmith	10							1			2			4	1													1									1					
Cabinet-maker	2			1																															1							
Carpenter	17	1		3						1				4				1		2								1			1		1							2		
Cigar-maker	3							1										1																			1					
Jeweler	12			1										9		1		1																								
Machinist	16					1				1				2				1					1			1		4							1	1	3					
Mason	8										1			1	1																				2	1	2					
Nail-maker	3													2									1																			
Operative	8									1				6																1												
Overseer	1													1																												
Painter	7			1				1						1														1		2							1					
Printer	4													4																												
Shoemaker	7									1				3														1							2							
Spinner	5		1					1						2																			1									
Stone-cutter	3													2														1														
Weaver	6													4							1																1					
Wheelwright	4													1														2			1											
Not specified	37			5				1		3	3	1		10												1		3			2		4		2		2					
III. Laborers.																																										
Teamster	3						1			1																1																
Not specified	111			3	1		2			2	6			46	2			1	1	1	2		1			3		8			6	2	5		7		8	1	1		2	
IV. Business Men.																																										
Accountant	2													1																							1					

Digitized by Google

Table XI. OCCUPATIONS AND CAUSES OF DEATH. 1862. Continued.

OCCUPATIONS.	Whole number by given causes.	Abscess	Aneurism.	Apoplexy & Paralysis.	Asthma.	Bladder, Inflam. of.	Bowels, Inflam. of.	Brain, Affections of.	Bronchitis.	Cancer.	Casualty.	Cholera Morbus.	Colic.	Consumption.	Debility.	Diarrhœa.	Diphtheria.	Dropsy.	Dropsy of the Chest.	Drowning.	Dysentery.	Dyspepsia.	Enteritis.	Epilepsy.	Erysipelas.	Fever, Typhoid.	Gunshot Wound.	Heart, Disease of.	Hemorrhage.	Insanity.	Intemperance and Delirium Tremens.	Kidney, Disease of	Liver, Disease of	Mortification.	Old Age.	Pleurisy.	Pneumonia.	Rheumatism.	Scrofula.	Small Pox.	Stomach, Disease of.	Suicide.	Tetanus.
Barber	6	..	..	..	..	..	1	1	..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Clerk	8	..	..	1	..	..	..	..	..	..	..	..	1	4	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Grocer	4	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..
Manufacturer	7	..	..	1	..	..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Merchant	18	..	..	1	..	..	1	1	..	1	..	..	..	5	..	..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	1	1	..	3	..	1	..	..	..	..	..	..
Tailor	8	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	..	2	..	1	..	..	..	..	..	..
Trader	2	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Others	28	..	..	2	..	..	1	..	..	..	..	..	..	11	..	..	..	1	..	..	..	..	..	1	..	1	..	4	..	..	1	..	1	..	1	1	2	..	..	..	..	..	1
V. Professional Men.																																											
Clergyman	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lawyer	2	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Musician	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Physician	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Teacher	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Others	3	..	..	..	..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VI. Seafaring Men.																																											
Mariner	28	..	..	3	..	1	..	..	1	..	1	1	..	3	1	1	..	1	1	2	..	..	..	1	..	1	..	1	..	..	1	1	1	..	3	..	1	..	1	..	..	..	..
Shipmaster	3	..	..	1	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Others	3	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
VII. Soldiers.	18	1	..	..	..	..	..	1	1	..	..	..	..	9	..	2	..	..	..	..	..	..	..	..	..	3	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
VIII. Females.																																											
Seamstress	6	..	..	..	..	..	..	..	..	2	..	..	..	2	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Servant	3	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Tailoress	3	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Weaver	6	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Others	5	..	..	..	..	..	..	..	..	1	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Digitized by Google

TABLE XI. OCCUPATIONS AND CAUSES OF DEATH. 1862. CONTINUED.

RECAPITULATION.

OCCUPATIONS.	Whole number by given causes.	Abscess.	Aneurism.	Apoplexy & Paralysis.	Asthma.	Bladder, Inflam. of.	Bowels, Inflam. of.	Brain, Affections of.	Bronchitis.	Cancer.	Casualty.	Cholera Morbus.	Colic.	Consumption.	Debility.	Diarrhœa.	Diphtheria.	Dropsy.	Dropsy of the Chest.	Drowning.	Dysentery.	Dyspepsia.	Enteritis.	Epilepsy.	Erysipelas.	Fever, Typhoid.	Gunshot Wound.	Heart, Disease of.	Hemorrhage.	Insanity.	Intemperance and Delirium Tremens.	Kidney, Disease of	Liver, Disease of.	Mortification.	Old Age.	Pleurisy.	Pneumonia.	Rheumatism.	Scrofula.	Small Pox.	Stomach, Disease of.	Suicide.	Tetanus.
AGRICULTURISTS	98	..	..	10	..	..	1	1	1	9	..	1	..	14	..	..	4	3	1	1	1	..	..	..	2	7	..	10	1	1	..	2	..	3	11	..	8	..	1	..	1	3	1
MECHANICS AND ARTISANS	153	1	1	11	..	1	..	5	..	7	6	1	..	56	2	1	..	4	..	2	1	..	2	..	..	2	..	14	..	3	4	..	6	..	8	2	11	..	..	..	2	..	..
LABORERS	114	..	..	3	1	..	3	..	..	3	6	..	..	46	2	..	..	1	1	1	2	..	1	..	..	4	..	8	..	..	6	2	5	..	7	..	8	1	1	..	..	2	..
BUSINESS MEN	83	..	..	7	..	..	3	3	..	2	..	..	1	30	..	..	..	1	..	..	..	2	..	1	..	3	1	9	..	..	2	2	2	..	6	1	6	..	..	..	..	1	..
PROFESSIONAL MEN	9	..	..	1	..	..	..	..	..	1	..	..	..	5	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..
SEAFARING MEN	34	..	..	4	..	1	1	..	1	..	1	1	..	4	1	2	..	1	1	2	..	..	..	1	..	1	..	2	..	..	1	1	1	..	3	..	2	..	1	1	..	..	..
SOLDIERS	20	1	..	..	..	..	..	1	1	..	..	..	..	9	..	2	..	..	..	..	..	..	..	..	..	3	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
FEMALES	23	..	..	..	..	..	..	..	..	4	..	..	..	12	..	..	..	..	2	..	1	..	..	..	..	..	..	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..
Total	534	2	1	36	1	2	8	10	3	26	13	3	1	176	6	5	4	10	5	6	5	2	3	2	2	20	3	46	2	4	13	7	14	3	36	3	36	1	3	1	3	6	1

Digitized by Google

Table XII.

Showing the prevailing winds, the mean altitude of the Barometer, the mean cloudiness of the sky, the number of days of rain or snow, and the quantity of rain or snow, for each month of the year 1862.

From the observations of Professor Caswell, of Brown University, Providence.

MONTHS.	Days of prevailing winds.				Barometer reduced to sea-level.	Mean cloudiness of sky.	Number of days of rain or snow.	Rain or snow in inches.
	Between N. & E.	E. & S.	S. & W.	W. & N.	Mean.			
January	12	..	6	13	29.981	6.0	11	6.06
February	6	2	4	16	29.961	5.8	14	3.15
March	6	1	7	17	29.821	4.6	11	4.12
April	9	6	8	7	30.167	4.5	9	1.60
May	4	9	8	10	29.978	4.5	7	2.60
June	9	1	9	11	29.939	6.2	14	6.75
July	6	3	15	7	29.968	4.7	9	3.52
August	4	1	17	9	30.052	3.4	7	1.27
September	6	2	14	8	30.132	4.5	7	7.35
October	8	3	11	9	30.068	5.0	11	4.77
November	7	2	11	10	39.041	6.3	14	6.80
December	5	1	8	17	30.094	4.8	9	2.10
Whole Year	82	31	118	134	30.017	5.0	123	50.09

The cloudiness is expressed in 10ths of the heavens.

Digitized by Google

Table XIII.

Showing the mean temperature, the highest and lowest temperature, and range, and greatest change in twenty-four hours, for each month of the year 1862.

From the observations of Professor Caswell, of Brown University, Providence.

Months.	Thermometer.				Greatest change in 24 hours.	
	Mean.	Highest.	Lowest.	Range.	Degrees of rise or fall.	Date.
January	25.5	52	3	49	21°.	1st.
February	25.0	43	9	32	21°.	17th.
March	33.4	47	19	28	17°.	2d.
April	42.7	79	22	57	25°.	17th.
May	56.9	84	36	48	28°.	15th.
June	62.0	86	42	44	23°.	23d.
July	66.9	90	48	42	22°.	13th.
August	68.0	89	48	41	31°.	20th.
September	60.1	82	43	39	31°.	3d.
October	52.5	83	28	55	26°.	21st.
November	42.3	74	23	51	24°.	1st.
December	29.9	57	0	57	23°.	16th.
Whole Year	47.1	90	0	90	31°.	Aug. 20th.

Digitized by Google

Digitized by Google

TABULAR RETROSPECT.

1852–1862.

Digitized by Google

Table XIV.

GENERAL ABSTRACT OF THE BIRTHS, MARRIAGES AND DEATHS IN RHODE ISLAND, FROM JANUARY 1st, 1858, TO DECEMBER 31st, 1862. FIVE YEARS.

Towns and divisions of the state.	Births.									Marriages.						Deaths.												
		Sex.			Parentage.						Nativity.						Sex.		Parentage.			Number of given ages.		Aggregate age.		Average age.			
	Whole No.	Males.	Females.	Not stated.	American.	Foreign.	Amer. fa. For. mo.	For. fa. Amer. mo.	Not stated.	Whole No.	American.	Foreign.	Amer. male. For. female	For. male. Am. female.	Not stated.	Whole No.	Males.	Females.	American.	Foreign.	Not stated.	Males.	Females.	Males.	Females.	Males.	Females.	Aggregate age of all.	Average age of all.
Barrington	94	46	48	..	72	20	..	2	..	22	21	..	..	1	..	63	35	28	45	16	2	34	28	1,065	1,155	31.32	41.25	2,220	35.80
Bristol	595	338	254	3	292	246	13	39	5	198	110	71	11	6	..	398	193	205	314	81	3	193	205	5,821	7,617	30.16	37.15	13,438	33.76
Warren	266	108	158	..	159	88	10	9	..	152	102	38	4	8	..	243	100	143	196	46	1	100	143	3,472	5,875	34 72	41.08	9,347	38.46
Bristol County	955	492	460	3	523	354	23	50	5	372	233	109	15	15	..	704	328	376	555	143	6	327	376	10,358	14,647	31.67	38.95	25,005	35.56
Coventry	420	226	194	..	291	80	7	8	34	149	128	11	5	5	..	304	155	149	266	37	1	150	146	5,084	5,817	33 89	39.84	10,901	36.82
East Greenwich	275	155	120	..	172	89	4	2	8	89	84	1	1	3	..	218	108	110	168	44	6	107	110	3.443	4,343	32.18	39.48	7,786	35.88
West Greenwich	143	75	66	2	127	11	1	1	3	44	43	..	1	..	..	89	59	30	88	1	..	59	30	2,625	1,237	44.49	41.23	3,862	43.37
Warwick	986	498	488	..	478	441	37	30	..	351	228	89	20	11	3	617	336	281	420	186	11	335	280	8,739	7,841	26.08	28.00	16,580	26.96
Kent County	,824	954	868	2	1,068	621	49	41	45	633	483	101	27	19	3	1,228	658	570	942	268	18	651	566	19,891	19,238	30.55	33.99	39,129	32.15
Fall River	337	205	182	..	124	212	21	24	6	269	43	195	12	14	5	222	109	113	85	136	1	109	113	2,206	2,839	20.23	25.12	5,045	22.72
Jamestown	23	15	8	..	18	1	4	..	..	8	8	..	..	..	..	14	8	6	14	..	..	8	6	479	171	59.87	28.50	650	46.43
Little Compton	120	51	68	1	110	4	2	4	..	24	23	..	1	..	..	86	41	45	71	1	14	41	44	2,270	2,387	55.36	54.25	4,657	54.78
Middletown	130	64	66	..	114	9	5	.	2	11	9	..	1	..	1	47	20	27	47	..	..	20	27	579	1,150	28 95	42.59	1,729	36.78
Newport	1,429	737	690	2	754	538	75	56	6	476	259	162	32	23	..	919	423	496	615	299	5	423	495	12,064	18,039	28.52	36 44	30,103	32.79
New Shoreham	151	78	58	15	149	1	..	..	1	42	42	..	..	..	..	50	29	21	50	.	..	27	16	836	542	30 97	33.87	1,378	32.04
Portsmouth	200	90	108	2	150	39	4	2	5	50	49	..	..	1	..	114	50	64	109	3	2	49	63	2,185	2,783	44.59	44.17	4,968	44.35
Tiverton	229	115	113	1	206	7	8	5	3	150	131	8	7	4	..	139	70	69	137	2	..	70	69	3,163	3,637	45.18	52.71	6,800	48.92
Newport County	2,669	1,355	1,293	21	1,625	811	119	91	23	1,030	564	365	53	42	6	1,591	750	841	1,128	441	22	747	833	23,782	31,548	31.83	37.87	55,330	35 01
Burrillville	593	304	281	8	191	353	16	15	18	119	50	62	4	3	..	260	140	120	151	106	3	133	119	3.498	4,132	26.30	34.72	7,630	30.27
Cranston	1,316	674	636	6	423	782	44	48	19	154	113	25	7	6	3	581	303	278	276	276	29	302	275	7,086	6,855	23.46	24.92	13,941	24.16

Digitized by Google

Cumberland.....	948	514	434	..	348	536	24	35	5	512	288	186	18	19	1	555	261	294	269	284	2	259	292	6,485	9,199	25.03	31.50	15,684	28.46
East Providence...	51	24	27	..	32	17	1	..	1	15	15	..	..	..	..	29	15	14	22	7	..	15	14	425	496	28.33	35.43	921	31.79
Foster.....	224	105	119	..	222	2	..	..	..	73	71	..	1	1	..	112	57	55	107	5	..	57	55	2,865	2,549	50.26	46 34	5,414	48.34
Glocester..	276	142	132	2	241	25	4	1	5	61	56	2	3	..	..	125	69	56	64	2	59	68	56	2,871	2,063	42.22	36.84	4,934	39.79
Johnston.....	415	211	204	..	227	167	9	6	6	95	63	21	6	2	3	297	139	158	166	70	61	139	157	3.635	3,907	26.15	24.88	7,542	25.48
North Providence.	1,442	714	728	..	450	834	77	77	4	565	261	206	43	31	24	886	426	460	369	511	6	422	459	10,067	11,111	23.85	24.21	21,178	24.03
Pawtucket.....	106	53	53	..	41	49	6	10	..	16	14	1	..	1	..	36	15	21	25	11	..	15	21	496	446	33.06	21.24	942	26.16
Scituate.....	272	142	130	..	229	33	3	6	1	184	172	5	4	3	..	197	95	102	181	13	3	94	97	4.161	3,441	44.26	35.47	7,602	39.80
Smithfield.....	1,006	508	495	3	337	585	37	37	10	371	255	75	23	13	5	583	291	292	278	256	49	287	286	8,583	8,671	29.90	30.32	17,254	30.11
TOWNS PROV. CO...	6,649	3,391	3,239	19	2,741	3,383	221	235	69	2,165	1,358	583	109	79	36	3,661	1,811	1,850	1,908	1,541	212	1,791	1,831	50,172	52,870	28.01	28.87	103,042	28.44
PROVIDENCE CITY..	8,097	4,187	3,910	..	3,172	4,269	346	310	..	2,884	1,542	1,024	183	135	..	4,882	2,397	2,485	2,488	2,394	..	2,397	2,485	56,987	68,872	23.77	27.71	125,859	25.78
Charlestown.....	102	56	46	..	95	5	..	..	2	9	9	..	..	..	..	68	33	35	65	2	1	33	34	1,303	890	39.48	26.17	2,193	32.73
Exeter.....	80	35	45	..	69	0	..	..	11	87	84	1	1	1	..	46	25	21	37	..	9	24	21	1.375	729	57.29	34.71	2,104	46.75
Hopkinton	280	157	123	..	245	18	10	6	1	155	140	6	6	3	..	129	69	60	126	3	..	69	60	1,997	1,687	28.94	28.11	3,684	28.55
North Kingstown .	350	172	176	2	252	39	14	3	42	115	107	1	4	3	..	240	126	114	192	13	35	123	114	5,029	5,694	40 88	49.95	10,723	45.24
South Kingstown..	519	269	249	1	412	78	20	6	3	154	121	20	9	..	4	300	135	165	213	13	74	133	165	4,431	5.011	33.31	30.37	9,442	31.68
Richmond.....	107	56	51	..	92	9	3	1	2	54	47	2	2	3	..	117	60	57	49	..	68	58	57	1.567	1,707	27.01	29.94	3.274	28.47
Westerly.....	466	257	186	23	315	110	9	12	20	183	136	30	6	11	..	123	56	67	64	24	35	54	65	1,412	1,722	26 14	26.49	3,134	26.33
WASHINGTON CO...	1,904	1,002	876	26	1,480	259	56	28	81	757	644	60	28	21	4	1,023	504	519	746	55	222	494	516	17,114	17,440	34.64	33.80	34,554	34.21

RECAPITULATION.

COUNTIES.																													
Bristol.....	955	492	460	3	523	354	23	50	5	372	233	109	15	15	..	704	328	376	555	143	6	327	376	10,358	14,647	31.67	38.95	25.005	35.56
Kent.....	1,824	954	868	2	1.068	621	49	41	45	633	483	101	27	19	3	1,228	658	570	942	268	18	651	566	19,891	19,238	30.55	33.99	39,129	32.15
Newport.....	2,669	1,355	1,293	21	1,625	811	119	91	23	1,030	564	365	53	42	6	1.591	750	841	1,128	441	22	747	833	23,782	31.548	31.83	37.87	55,330	35.01
Providence.....	14,746	7,578	7,149	19	5,913	7,652	567	545	69	5,049	2,900	1,607	292	214	36	8,543	4,208	4,335	4,396	3,935	212	4,188	4,316	107.159	121,742	25.58	28.21	228,901	26.91
Washington.....	1,904	1,002	876	26	1,480	259	56	28	81	757	644	60	28	21	4	1,023	504	519	746	55	222	494	516	17,114	17,440	34.64	33.80	34,554	34.21
WHOLE STATE....	22,098	11,381	10,646	71	10,609	9,697	814	755	223	7,841	4,824	2,242	415	311	49	13,68	6,448	6,641	7,767	4,842	480	6,407	6,607	178.304	204,615	27.82	30.97	382,919	29.42

Digitized by Google

TABLE XV. AGES OF PERSONS MARRIED IN RHODE ISLAND,

During Nine Years, 1854 *to* 1862, *inclusive.*

AGES OF MEN.	AGES OF WOMEN.													Whole number of men.
	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 to 85.	Unknown.	
Under 20...	411	116	16	3	..	1	..	..	..	..	..	..	1	548
20 to 25....	2,095	2,623	431	56	16	3	1	..	1	..	..	..	9	5,235
25 " 30 ...	661	1,771	878	120	40	6	2	..	..	..	..	..	8	3,486
30 " 35 ...	165	468	438	191	59	9	5	1	..	..	..	..	6	1,342
35 " 40 ...	60	213	216	141	131	38	15	..	..	..	..	..	1	815
40 " 45 ...	18	51	69	102	93	52	13	3	3	..	..	.	1	405
45 " 50 ...	2	27	55	46	68	45	32	7	2	1	..	..	1	286
50 " 55 ...	5	11	20	28	41	52	25	18	5	1	..	..	1	207
55 " 60 ...	2	6	7	8	19	25	36	15	10	1	..	..	1	130
60 " 65 ...	1	1	5	4	15	18	11	18	7	3	.	..	1	84
65 " 70 ...	1	1	..	4	7	9	12	8	12	7	..	1	..	62
70 " 75 ...	..	..	2	1	3	1	2	6	2	8	2	..	..	27
75 " 80 ...	..	..	1	..	..	..	1	..	2	5	4	..	..	13
80 " 85 ...	..	..	..	..	..	..	..	1	1	1	..	..	..	3
Unknown...	4	5	3	1	..	..	..	..	..	..	..	..	668	681
Whole No. of Women.	3,425	5,293	2,141	705	492	259	155	77	45	27	6	1	698	13,324

Read thus: 411 men, under twenty, married women under twenty; 116 men under twenty, married women between twenty and twenty-five, &c.

Previous to 1854, the tables do not give the ages of those marri d.

Digitized by Google

Table XVI. DEATHS IN RHODE ISLAND.

FOR TEN YEARS AND SEVEN MONTHS.

From June 1st, 1852, to December 31st, 1862.

Showing the number and percentage of each sex in each period of life.

Periods of Life.	Whole number.	Percentage.	Sex. Males. Number.	Sex. Males. Percentage.	Sex. Females. Number.	Sex. Females. Percentage.	Unknown Sex.
Under 1 year.	3,991	17.62	2,191	19.68	1,785	15.54	15
1 and under 2.	2,208	9.75	1,124	10.06	1,077	9.38	7
2 " 3.	1,011	4.46	521	4.68	487	4.24	3
3 " 4.	666	2.94	351	3.16	313	2.73	2
4 " 5.	495	2.19	245	2.20	249	2.17	1
Total under 5.	8,371	36.96	4,432	39.79	3,911	34.06	28
5 and under 10	1,125	4.97	569	5.11	556	4.84	..
10 " 15	449	1.98	200	1.80	248	2.16	1
15 " 20	875	3 87	366	3.29	509	4.43	..
20 " 30	2,149	9.49	932	8.37	1,217	10.60	..
30 " 40	1,963	8.67	910	8.17	1,053	9.17	..
40 " 50	1,704	7.52	879	7.89	825	7.18	..
50 " 60	1,518	6.70	794	7.13	724	6.30	..
60 " 70	1,552	6.85	792	7.11	760	6.62	..
70 " 80	1,672	7.38	778	6.99	894	7.78	..
80 " 90	1,033	4.56	403	3.62	630	5.49	..
90 and over..	239	1.05	81	.73	158	1.37	..
Unknown age.	279	..	134	..	105	..	40
		..	..	..	..	..	..
Aggregate.		..	..	..	..	..	..
Males.....	11,270	..	..	..	..	..	..
Females.....	11,590	..	..	..	..	..	..
Unknown sex.	69	..	..	..	..	..	..
Total.....	22,929	100.00	..	..	..	..	..

Digitized by Google

TABLE XV. BIRTHS IN RHODE ISLAND, FROM JUNE 1, 1852, TO DECEMBER 31, 1862.

Ten Years and Seven Months.

TOWNS AND DIVISIONS OF THE STATE.	1852-53.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	Males.	Females.	Sex not stated.	TOTAL.
Barrington	27	17	20	19	19	23	19	21	19	12	93	103	....	196
Bristol	199	99	142	125	146	115	123	124	111	122	692	608	6	1,306
Warren	33	44	60	84	70	48	64	46	65	43	277	280	....	557
BRISTOL COUNTY	259	160	222	228	235	186	206	191	195	177	1,062	991	6	2,059
Coventry	41	21	53	48	73	76	70	87	101	86	344	299	13	656
East Greenwich	44	56	70	66	70	60	53	75	44	43	319	261	1	581
West Greenwich	....	....	1	1	36	32	36	33	18	24	91	88	2	181
Warwick	53	53	35	49	183	138	165	225	251	207	657	697	5	1,359
KENT COUNTY	138	130	159	164	362	306	324	420	414	360	1,411	1,345	21	2,777
Fall River	....	....	....	....	103	88	109	78	112	....	247	243	....	490
Jamestown	....	6	8	....	3	7	3	3	8	2	24	16	....	40
Little Compton	37	18	27	26	22	24	30	26	17	23	112	136	2	250
Middletown	14	33	16	16	29	29	23	27	24	27	130	108	....	238
Newport	4	133	172	145	280	304	273	266	293	293	1,086	1,057	20	2,163
New Shoreham	....	....	32	21	42	44	13	34	35	25	133	98	15	246
Portsmouth	16	25	36	22	40	37	29	46	40	48	162	172	5	339
Tiverton	55	2	131	133	53	52	44	45	49	39	296	306	1	603
NEWPORT COUNTY	126	217	422	363	572	585	524	525	578	457	2,190	2,136	43	4,369
Burrillville	....	....	76	39	117	115	123	118	129	108	420	393	12	825
Cranston	6	1	1	22	226	256	281	277	272	230	800	766	6	1,572
Cumberland	30	70	88	22	168	167	170	178	240	193	720	597	9	1,326
East Providence	....	....	....	....	....	....	....	....	....	51	24	27	....	51

Digitized by Google

Foster	1	....	1	23	26	50	51	48	46	29	131	144	....	275
Glocester	....	....	42	37	30	63	57	51	52	53	201	171	13	385
Johnston	3	....	9	30	31	64	91	74	100	86	253	235	....	488
North Providence	5	98	87	58	245	239	331	326	354	192	941	993	1	1,935
Pawtucket	....	....	....	....	....	....	....	....	....	106	53	53	....	106
Scituate	2	25	48	50	26	26	16	93	57	80	216	204	3	423
Smithfield	2	6	31	55	75	25	350	160	283	188	604	567	4	1,175
TOWNS PROVIDENCE COUNTY	49	200	383	336	944	1,005	1,470	1,325	1,533	1,316	4,363	4,150	48	8,561
PROVIDENCE CITY	2,205	1,369	1,592	1,675	1,688	1,724	1,510	1,609	1,725	1,529	8,566	8,052	8	16,626
Charlestown	21	9	11	15	14	23	12	30	28	9	89	83	....	172
Exeter	8	....	13	7	11	16	11	18	17	18	53	66	....	119
Hopkinton	3	15	20	2	66	59	62	51	48	60	222	157	7	386
North Kingstown	....	1	....	3	28	80	54	65	81	70	191	189	2	382
South Kingstown	....	....	1	1	....	160	101	129	84	45	270	250	1	521
Richmond	1	1	17	6	29	19	15	36	21	16	85	76	....	161
Westerly	45	3	86	106	77	100	88	94	116	68	421	333	29	783
WASHINGTON COUNTY	78	29	148	140	225	457	343	423	395	286	1,331	1,154	39	2,524

RECAPITULATION.

COUNTIES.														
Bristol	259	160	222	228	235	186	206	191	195	177	1,062	991	6	2,059
Kent	138	130	159	164	362	306	324	420	414	360	1,411	1,345	21	2,777
Newport	126	217	422	363	572	585	524	525	578	457	2,190	2,136	43	4,369
Providence	2,254	1,569	1,975	2,011	2,632	2,729	2,980	2,934	3,258	2,845	12,929	12,202	56	25,187
Washington	78	29	148	140	225	457	343	423	395	286	1,331	1,154	39	2,524
Whole State	2,855	2,105	2,926	2,906	4,026	4,263	4,377	4,493	4,840	4,125	18,923	17,828	165	36,916

Digitized by Google

TABLE XVIII. MARRIAGES IN RHODE ISLAND, FROM JUNE 1, 1852, TO DECEMBER 31, 1862.

Ten Years and Seven Months.

TOWNS AND DIVISIONS OF THE STATE.	1852-53.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	NATIVITY.				TOTAL.
											Am'n.	Foreign	Mixed.	Not Stated.	
Barrington	3	2	2	3	6	3	8	2	2	7	35	....	3	....	38
Bristol	66	31	30	35	30	36	34	48	46	34	262	96	31	1	390
Warren	29	10	21	31	21	43	21	36	35	17	189	57	18	....	264
BRISTOL COUNTY	98	43	53	69	57	82	63	86	83	58	486	153	52	1	692
Coventry	30	15	8	35	26	41	29	34	29	16	236	16	11	....	263
East Greenwich	10	8	18	24	16	15	23	20	12	19	148	3	6	8	165
West Greenwich	10	3	5	11	8	11	10	10	6	7	78	1	2	....	81
Warwick	10	45	70	81	88	63	77	83	73	55	451	145	42	7	645
KENT COUNTY	60	71	101	151	138	130	139	147	120	97	913	165	61	15	1,154
Fall River	....	....	....	....	69	61	69	63	76	....	57	247	29	5	338
Jamestown	1	1	3	2	1	1	2	2	1	2	13	....	3	....	16
Little Compton	5	7	13	4	11	7	5	6	3	3	62	....	2	....	64
Middletown	6	8	3	4	1	1	3	....	2	5	31	....	1	1	33
Newport	55	45	56	51	77	81	95	106	108	86	459	197	88	16	760
New Shoreham	....	....	7	9	5	14	8	6	9	5	61	....	2	....	63
Portsmouth	5	10	12	11	10	7	11	14	7	11	88	....	8	2	98
Tiverton	32	14	95	118	25	21	35	46	18	30	243	158	29	4	434
NEWPORT COUNTY	104	85	189	199	199	193	228	243	224	142	1,014	602	162	28	1,806
Burrillville	5	....	8	7	9	15	33	19	25	27	70	69	9	....	148
Cranston	1	...	12	21	19	21	22	39	39	33	158	27	16	6	207
Cumberland	65	67	66	94	114	111	113	113	66	109	548	286	64	20	918
East Providence	....	....	....	....	....	....	....	....	....	15	15	....	....	....	15

Digitized by Google

Foster	9	5	11	10	11	11	17	11	20	14	114	....	4	1	119
Glocester	4	3	7	6	12	9	20	8	12	12	86	3	3	1	93
Johnston	....	....	5	26	25	18	20	18	8	31	106	26	16	3	151
North Providence	9	71	122	118	115	74	124	144	119	104	492	359	118	31	1,000
Pawtucket	....	....	....	....	....	....	....	....	....	16	14	1	1	....	16
Scituate	28	25	25	23	31	31	34	47	40	32	295	6	12	3	316
Smithfield	103	57	72	66	83	53	69	83	86	80	513	154	63	22	752
TOWNS PROVIDENCE COUNTY	224	228	328	371	419	343	452	482	415	473	2,411	931	306	87	3,735
PROVIDENCE CITY	674	549	636	656	614	560	611	620	546	547	3,182	2,183	568	80	6,013
Charlestown	8	4	1	1	1	1	1	6	..	1	23	1	....	....	24
Exeter	10	9	6	4	10	16	19	15	24	13	122	1	3	....	126
Hopkinton	30	8	13	25	11	30	39	36	30	20	218	11	12	1	242
North Kingstown	16	19	10	16	15	18	26	28	23	20	177	3	8	3	191
South Kingstown	19	7	12	9	23	28	35	39	27	25	181	23	11	9	224
Richmond	14	3	15	6	15	6	15	10	15	8	96	3	6	2	107
Westerly	42	21	11	28	24	31	44	36	26	46	244	43	22	....	309
WASHINGTON COUNTY	139	71	68	89	99	130	179	170	145	133	1,061	85	62	15	1,223

RECAPITULATION.

COUNTIES.															
Bristol	98	43	53	69	57	82	63	86	83	58	486	153	52	1	692
Kent	60	71	101	151	138	130	139	147	120	97	913	165	61	15	1,154
Newport	104	85	189	199	199	193	228	243	224	142	1,014	602	162	28	1,806
Providence	898	777	964	1,027	1,033	903	1,063	1,102	961	1,020	5,593	3,114	874	167	9,748
Washington	139	71	68	89	99	130	179	170	145	133	1,061	85	62	15	1,223
WHOLE STATE	1,299	1,047	1,375	1,535	1,526	1,438	1,672	1,748	1,533	1,450	9,067	4,119	1,211	226	14,623

Digitized by Google

TABLE XIX. DEATHS IN RHODE ISLAND, FROM JUNE 1, 1852, TO DECEMBER 31, 1862.

Ten Years and Seven Months.

TOWNS AND DIVISIONS OF THE STATE.	1852-53.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	SEX. Males.	Females	Not Stated.	TOTAL.
Barrington	9	15	18	17	11	13	8	10	20	12	66	67	....	133
Bristol	45	50	118	87	87	66	73	95	95	69	380	404	1	785
Warren	77	46	45	42	49	39	68	41	53	42	209	291	2	502
BRISTOL COUNTY	131	111	181	146	147	118	149	146	168	123	655	762	3	1,420
Coventry	26	14	42	24	36	62	56	33	90	63	233	210	3	446
East Greenwich	27	28	26	30	33	42	40	55	39	42	193	169	....	362
West Greenwich	1	3	3	4	20	24	22	15	12	16	74	46	....	120
Warwick	20	37	25	42	167	106	82	135	161	133	471	433	4	908
KENT COUNTY	74	82	96	100	256	234	200	238	302	254	971	858	7	1,836
Fall River	....	....	....	....	58	35	39	66	82	....	143	137	....	280
Jamestown	1	5	9	....	2	2	5	3	2	2	17	14	....	31
Little Compton	36	14	14	20	15	13	19	16	24	14	84	101	....	185
Middletown	13	16	4	8	11	13	12	3	12	7	50	49	....	99
Newport	53	64	81	139	178	228	178	160	165	188	657	738	39	1,434
New Shoreham	....	....	14	18	10	11	4	2	16	17	47	43	2	92
Portsmouth	19	14	11	14	11	19	13	27	31	24	84	99	....	183
Tiverton	40	....	67	69	31	23	22	22	37	35	162	184	....	346
NEWPORT COUNTY	162	113	200	268	316	344	292	299	369	287	1,244	1,365	41	2,650
Burrillville	....	....	23	25	58	61	44	44	57	54	188	178	....	366
Cranston	17	18	35	70	77	110	90	123	134	124	418	379	1	798
Cumberland	15	12	31	23	107	137	99	104	115	100	353	390	....	743
East Providence	....	....	....	....	....	....	....	....	....	29	15	14	....	29

Digitized by Google

Foster	7	3	2	9	13	13	21	34	26	18	79	67	....	146
Glocester	....	3	18	20	24	26	20	24	31	24	102	88	....	190
Johnston	....	2	17	48	44	76	46	56	66	53	184	224	....	408
North Providence	15	57	124	150	196	181	140	204	178	183	689	737	2	1,428
Pawtucket	....	....	....	....	....	....	....	....	....	36	15	21	....	36
Scituate	3	4	21	29	38	25	44	23	39	66	141	151	....	292
Smithfield	62	21	43	29	48	93	82	155	127	126	388	397	1	786
TOWNS PROVIDENCE COUNTY	119	120	314	403	605	722	586	767	773	813	2,572	2,646	4	5,222
PROVIDENCE CITY	1,369	1,269	982	1,066	925	1,017	899	1,001	1,051	914	5,172	5,308	13	10,493
Charlestown	21	9	9	8	11	13	11	15	15	14	64	62	....	126
Exeter	....	....	8	6	5	12	5	10	9	10	36	29	....	65
Hopkinton	4	2	13	4	9	14	12	28	51	24	80	81	....	161
North Kingstown	1	3	1	8	9	39	41	67	44	49	137	125	....	262
South Kingstown	2	1	7	11	12	53	42	69	73	63	156	177	....	333
Richmond	7	4	22	8	13	15	16	23	49	14	93	78	....	171
Westerly	16	6	13	14	17	35	16	23	23	26	90	98	1	189
WASHINGTON COUNTY	51	25	73	59	76	181	143	235	264	200	656	650	1	1,307

RECAPITULATION.

COUNTIES.														
Bristol	131	111	181	146	147	118	149	146	168	123	655	762	3	1,420
Kent	74	82	96	100	256	234	200	238	302	254	971	858	7	1,836
Newport	162	113	200	268	316	344	292	299	369	287	1,244	1,365	41	2,650
Providence	1,488	1,389	1,296	1,469	1,530	1,739	1,485	1,768	1,824	1,727	7,744	7,954	17	15,715
Washington	51	25	73	59	76	181	143	235	264	200	656	650	1	1,307
WHOLE STATE	1,906	1,720	1,846	2,042	2,325	2,616	2,269	2,686	2,927	2,591	11,270	11,589	69	22,928

Digitized by Google

TABLE. XX.

BIRTHS, MARRIAGES, AND DEATHS IN RHODE ISLAND,

From January 1st, 1853, to December 31st, 1862, Ten Years.

Showing the number of each sex in each month, and the percentages of each sex in each month, the months being reduced to periods of equal length in the percentage columns.

BIRTHS—TEN YEARS.

MONTHS.	WHOLE NUMBER.	Monthly percentage equalized.	MALES.		FEMALES.		SEX NOT STATED
			Whole Number.	Monthly percentages equalized.	Whole Number.	Monthly percentages equalized.	
January	2,893	7.93	1,503	8.02	1,380	7.85	10
February	2,779	8.43	1,457	8.61	1,310	8.27	12
March	3,045	8.35	1,593	8.51	1,441	8.19	11
April	2,827	8.01	1,482	8.17	1,333	7.83	12
May	2,893	7.93	1,457	7.78	1,421	8.08	15
June	2,904	8.22	1,483	8.18	1,404	8.24	17
July	3,037	8.32	1,578	8.43	1,443	8.20	16
August	3,145	8.62	1,628	8.69	1,511	8.59	6
September	3,008	8.52	1,516	8.36	1,480	8.69	12
October	3,086	8.46	1,559	8.32	1,513	8.60	14
November	3,075	8.71	1,581	8.71	1,480	8.69	14
December	3,100	8.50	1,540	8.22	1,544	8.77	16
TEN YEARS' TOTAL	35,792	100.00	18,377	100.00	17,260	100.00	155

DEATHS—TEN YEARS.

January	1,777	7.84	884	7.94	891	7.76	2
February	1,631	7.96	784	7.80	845	8.15	2
March	1,748	7.71	823	7.40	923	8.04	2
April	1,675	7.63	867	8.04	804	7.23	4
May	1,657	7.30	847	7.61	808	7.04	2
June	1,486	6.77	750	6.96	730	6.57	6
July	1,885	8.32	968	8.69	909	7.92	8
August	2,594	11.44	1,307	11.74	1,278	11.13	9
September	2,331	10.62	1,121	10.41	1,200	10.80	10
October	1,945	8.58	911	8.18	1,026	8.94	8
November	1,744	7.95	813	7.55	928	8.35	3
December	1,787	7.88	855	7.68	927	8.07	5
TEN YEARS' TOTAL	22,260	100.00	10,930	100.00	11,269	100.00	61

Fifteen births, (7 males, 8 females,) and eleven deaths, (4 males, 7 females,) for which no date is given, omitted.

Digitized by Google

Table XX. Continued. MARRIAGES.

MONTHS.	Whole number.	Monthly Percentages equalized.	MONTHS.	Whole number,	Monthly Percentages equalized.
January	1,237	8.62	July	1,041	7.26
February	1,037	8.00	August	1,019	7.10
March	875	6.10	September	1,338	9.64
April	1,077	7.75	October	1,421	9.90
May	1,239	8.63	November	1,538	11.07
June	1,138	8.19	December	1,111	7.74
1st Six Months	6,603	47.29	Whole Year	14,071	100.00

Twenty-three marriages, with no date given, are omitted.

Table XXI. PLURALITY BIRTHS IN RHODE ISLAND.

From January 1, 1853, *to December* 31, 1862. *Ten Years.*

MONTHS.	Number of cases.	Sex of Children.		No. of children.	MONTHS.	Number of cases.	Sex of Children.		No of children.
		Males.	Females.				Males.	Females.	
January	23	25	21	46	August	38	35	42	77
February	24	22	26	48	September	35	29	43	72
March	38	49	27	76	October	27	28	28	56
April	32	28	36	64	November	30	30	28	60
May	36	39	33	72	December	35	30	42	72
June	38	35	41	78					
July	38	38	38	76	Total	394	388	405	797

There were two children in June, and two in November, of whom the sex was not stated. The totals for "sex of children" should read, Males, 388; Females, 405; Not stated, 4; Total, 797.

Parentage.—Of the whole number, 394 cases of Plurality Births, in ten years, 183 were of American parents; 187 of foreign parents; 16 of mixed parentage, i. e., one American and one foreign parent; and eight cases, parentage not stated.

Triplets.—There were nine cases of triplets in ten years, giving 13 male, and 14 female children. Two of these cases were of American, and seven of foreign parents.

Locality.—Of the 394 cases of Plurality Births, there were in Bristol County, 21; Kent Co., 29; Newport Co., 35; Providence Co., 277; Washington Co., 32; Whole State, 394.

Digitized by Google

TABLE XXII. CAUSES OF DEATH, FROM JUNE 1st, 1852, TO DECEMBER 31st, 1862.

Ten Years and Seven Months.

Classified and arranged by sex and divisional periods of life.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
11,267	11,591	69	22,927	ALL CAUSES	8,374	1,121	446	877	2,151	1,959	1,706	1,514	1,550	1,673	1,271	277
10,206	10,570	29	20,805	SPECIFIED CAUSES	7,486	1,025	415	814	2,021	1,854	1,578	1,364	1,404	1,503	1,177	156
2,883	2,939	13	5,835	I. ZYMOTIC DISEASES	3,695	589	161	181	296	249	169	129	144	121	51	43
				SPORADIC DISEASES.												
943	1,093	6	2,042	II. GENERAL, OR NOT LOCALIZED	832	45	16	24	85	119	174	201	224	221	86	15
1,488	1,245	4	2,737	III. NERVOUS SYSTEM	1,366	142	48	52	98	144	156	153	196	254	117	11
2,626	3,125	6	5,757	IV. RESPIRATORY SYSTEM	853	107	101	433	1,202	906	686	533	463	330	103	40
339	350	..	689	V. CIRCULATORY SYSTEM	49	22	15	21	55	82	87	83	122	115	36	2
585	560	..	1,145	VI. DIGESTIVE SYSTEM	455	24	22	28	62	96	110	125	109	78	27	9
122	64	..	186	VII. URINARY SYSTEM	7	3	6	5	14	19	16	19	40	48	8	..
....	211	..	211	VIII. GENERATIVE SYSTEM	....	....	1	13	56	77	37	12	10	5	....	..
60	58	..	118	IX. LOCOMOTIVE SYSTEM	13	11	7	12	11	15	17	11	8	9	3	1
15	10	..	25	X. INTEGUMENTIVE SYSTEM	18	....	..	1	...	1	1	....	1	1	1	1
394	658	..	1,052	XI. OLD AGE	....	....	..	..	...	....	....	1	22	290	734	5
751	257	..	1,008	XII. EXTERNAL CAUSES	198	82	38	44	142	146	125	97	65	31	11	29

Digitized by Google

				I. Zymotic Diseases.												
100	76	2	178	Cholera Asiatic	22	10	3	5	33	41	25	18	10	10	1	..
480	442	3	925	Cholera Infantum	920	2	..	..	...	....	....	...	....	....	....	3
37	45	..	82	Cholera Morbus	18	3	2	3	5	14	9	4	12	6	5	1
301	276	1	578	Croup	454	109	7	1	....	1	....	....	....	1	....	5
207	210	2	419	Diarrhœa	311	3	1	1	12	13	19	15	20	16	5	3
132	182	..	314	Diphtheria	158	93	28	12	12	4	4	....	2	....	....	1
372	394	2	768	Dysentery	522	35	13	11	25	36	22	23	36	27	10	6
62	67	1	130	Erysipelas	49	5	4	6	5	12	11	7	10	9	12	..
56	59	..	115	Fevers (various)	27	6	1	2	12	15	12	10	12	9	3	6
....	70	..	70	Fever, Puerperal	....	...	..	3	36	21	9	..	....	...	....	1
334	286	..	620	Fever, Typhoid and Typhus	33	41	51	122	132	69	47	45	35	27	7	6
99	115	..	214	Hooping Cough	206	7	..	1	...	....	....	....	....	....	..	..
2	1	..	3	Hydrophobia	...	1	..	..	...	1	1	....	....	....	....	..
14	24	..	38	Influenza	13	....	..	1	....	1	....	....	3	12	8	..
71	64	1	136	Measles	118	12	..	..	1	2	1	1	1	....	....	..
11	8	..	19	Purpura	13	....	1	..	1	1	1	1	...	1	....	..
533	554	1	1,088	Scarlatina	750	257	48	11	9	3	1	....	....	....	....	9
36	28	..	64	Small Pox and Varioloid	26	3	..	..	12	12	3	2	2	3	....	1
11	12	..	23	Syphilis	15	....	..	..	1	1	3	2	1	....	...	..
21	18	..	39	Thrush	37	1	..	..	....	...	....	1	....	....	....	..
4	8	..	12	Others of Class I	3	1	2	2	....	2	1	....	....	....	...	1
2,883	2,939	13	5,835	Total	3,695	589	161	181	296	249	169	129	144	121	51	43
				II. General, or not Localized.												
27	18	..	45	Abcess	3	1	..	3	9	4	10	4	6	2	3	..
211	300	..	511	Anæmia and Dropsy	38	18	8	11	46	51	54	65	82	97	36	5
94	245	..	339	Cancer (all kinds)	2	....	..	1	4	34	68	82	74	51	22	1
176	151	.	327	Debility and Premature Birth	227	....	1	..	3	6	8	11	29	32	6	4
67	41	2	110	Malformations (all kinds)	109	1	..	..	....	...	....	....	....	....	...	..

Digitized by Google

TABLE. XXII. CONTINUED. CAUSES OF DEATH, FOR TEN YEARS AND SEVEN MONTHS.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
192	176	3	371	Marasmus	331	7	3	..	1	4	1	12	6	6	....	..
41	18	..	59	Mortification	6	1	1	1	2	1	2	4	8	20	10	3
46	48	..	94	Scrofula and Tubercle	53	16	1	4	5	2	7	4	2	...	....	..
89	96	1	186	Others of Class II	63	1	2	4	15	17	24	19	17	13	9	2
943	1,093	6	2,042	Total	832	45	16	24	85	119	174	201	224	221	86	15
				III. NERVOUS SYSTEM.												
318	327	..	645	Apoplexy and Paralysis	5	4	3	3	10	48	53	81	133	202	100	3
90	76	..	166	Brain, Congestion of	108	14	5	11	8	6	2	4	3	4	....	1
277	235	1	513	Brain Diseases and Inflammation of	251	52	25	20	31	33	33	25	17	20	5	1
308	266	1	575	Convulsions	506	20	3	5	7	8	9	5	4	6	2	..
69	3	..	72	Delirium Tremens	....	....	..	..	8	17	23	12	6	3	1	2
295	247	2	544	Hydrocephalus	482	48	5	2	2	1	1	....	....	..	....	3
58	51	..	109	Insanity	....	....	..	1	10	16	21	21	21	11	8	..
26	9	..	35	Tetanus	10	1	3	6	4	4	6	....	1	....	...	..
47	31	..	78	Others of Class III	4	3	4	4	18	11	8	5	11	8	1	1
1,488	1,245	4	2,737	Total	1,366	142	48	52	98	144	156	153	196	254	117	11
				IV. RESPIRATORY SYSTEM.												
46	38	..	84	Bronchitis	38	3	..	1	4	6	3	5	5	15	4	..

Digitized by Google

1,789	2,363	4	4,156	Consumption	249	41	79	401	1,107	787	572	390	299	169	31	31
45	57	..	102	Dropsy of Chest	11	6	2	3	7	9	7	13	25	14	4	1
15	13	..	28	Laryngitis	12	3	1	..	3	3	1	1	2	2	....	..
66	50	..	116	Lungs, Congestion of	55	4	4	1	4	12	5	4	8	17	2	..
592	552	2	1,146	Pneumonia and Pleurisy	461	39	14	22	69	82	82	109	109	98	55	6
73	52	..	125	Others of Class IV	27	11	1	5	8	7	16	11	15	15	7	2
2,626	3,125	6	5,757	Total	853	107	101	433	1,202	906	686	533	463	330	103	40
				V. Circulatory System.												
8	2	..	10	Aneurism	....	....	..	..	1	4	3	1	....	1	....	..
320	331	..	651	Heart, Disease of	47	21	14	21	50	73	79	82	119	108	35	2
11	17	.	28	Others of Class V.	2	1	1	..	4	5	5	...	3	6	1	..
339	350	..	689	Total	49	22	15	21	55	82	87	83	122	115	36	2
				VI. Digestive System.												
100	92	..	192	Bowels, Inflammation of	58	9	6	15	22	16	23	19	12	10	2	..
49	35	..	84	Colic	23	1	..	1	4	10	8	15	12	8	1	1
12	10	..	22	Hernia	5	....	..	1	....	1	3	3	4	4	1	..
96	98	..	194	Liver, Diseases of	8	2	..	1	8	25	40	45	29	29	4	3
46	55	..	101	Peritonitis	9	4	10	4	17	15	13	7	15	2	3	2
23	52	..	75	Stomach, Diseases of	8	5	3	1	1	12	7	11	13	10	3	1
143	134	..	277	Teething	277	....	..	..	....	....	....	....	....	....	....	..
116	84	..	200	Others of Class VI	67	3	3	5	10	17	16	25	24	15	13	2
585	560	..	1,145	Total	455	24	22	28	62	96	110	125	109	78	27	9
				VII. Urinary System.												
20	5	..	25	Bladder, Diseases of	..	..	..	1	....	....	4	2	6	12	..	..
18	16	..	34	Diabetes	2	1	4	1	3	2	3	7	6	5	..	..

Digitized by Google

TABLE XXII. CONTINUED. CAUSES OF DEATH, FOR TEN YEARS AND SEVEN MONTHS.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
60	40	..	100	Kidneys, Diseases of.....	4	2	2	3	10	16	8	9	20	20	5	..
24	3	..	27	Others of Class VII	1	....	..	..	1	1	1	1	8	11	3	..
122	64	..	186	Total.....	7	3	6	5	14	19	16	19	40	48	8	..
				VIII. GENERATIVE SYSTEM.												
....	155	..	155	Child Birth.	..	..	..	12	55	65	23	....	....	...	....	..
....	56	..	56	Others of Class VIII..... ..	....	....	1	1	1	12	14	12	10	5	....	..
.. .	211	..	211	Total..	....	....	1	13	56	77	37	12	10	5	....	..
				IX. LOCOMOTIVE SYSTEM.												
25	28	.	53	Rheumatism.....	...	3	4	2	7	7	9	6	6	7	2	..
23	22	..	45	Spine, Diseases of.....	10	4	2	6	2	6	6	4	2	2	....	1
12	8	.	20	Others of Class IX.....	3	4	1	4	2	2	2	1	....	....	1	..
60	59	..	118	Total.....	13	11	7	12	11	15	17	11	8	9	3	1
				X. INTEGUMENTIVE SYSTEM.												
15	10	..	25	Total of Class X.....	18	...	..	1	....	1	1	....	1	1	1	1

Digitized by Google

394	658	..	1,052	XI. Old Age	....	....	..	..	....	....	....	1	22	290	734	5
				XII. External Causes.												
248	50	.	298	Accidents (various)	27	20	13	15	54	54	38	21	26	14	9	7
61	71	..	132	do Burns and Scalds	83	10	6	3	10	6	2	4	4	1	1	2
194	30	..	224	do Drowning	32	47	18	17	39	25	22	7	3	2	....	12
12	10	..	22	do Suffocation	15	...	..	1	....	..	1	3	....	...	....	2
26	18	..	44	do Poisoning	18	5	1	1	2	7	4	2	....	3	....	1
13	....	..	13	Heat and Cold	....	...	..	1	3	4	2	3	...	....	....	..
17	7	..	24	Homicide	1	....	..	..	8	3	4	2	1	2	....	3
86	35	..	121	Intemperance	....	....	..	..	8	33	34	28	15	2	1	..
2	....	..	2	Lightning	...	....	..	1	....	...	....	....	1	...	....	..
57	25	..	82	Suicide	....	...	..	2	12	11	14	22	13	6	...	2
7	....	..	7	Wounds in Battle	...	....	..	2	3	....	1	1	..	....	..	..
28	11	..	39	Others of Class XII	22	....	..	1	3	3	3	4	2	1	....	..
751	257	..	1,008	Total	198	82	38	44	142	146	125	97	65	31	11	29
1,061	1,021	40	2,122	Unknown	888	96	31	63	130	105	128	150	146	170	94	121

Digitized by Google

TABLE XVIII. MARRIAGES IN RHODE ISLAND, FROM JUNE 1, 1852, TO DECEMBER 31, 1862.

Ten Years and Seven Months.

TOWNS AND DIVISIONS OF THE STATE.	1852-53.	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	NATIVITY.				TOTAL.
											Am'n.	Foreign	Mixed.	Not Stated.	
Barrington	3	2	2	3	6	3	8	2	2	7	35	....	3	....	38
Bristol	66	31	30	35	30	36	34	48	46	34	262	96	31	1	390
Warren	29	10	21	31	21	43	21	36	35	17	189	57	18	....	264
BRISTOL COUNTY	98	43	53	69	57	82	63	86	83	58	486	153	52	1	692
Coventry	30	15	8	35	26	41	29	34	29	16	236	16	11	....	263
East Greenwich	10	8	18	24	16	15	23	20	12	19	148	3	6	8	165
West Greenwich	10	3	5	11	8	11	10	10	6	7	78	1	2	....	81
Warwick	10	45	70	81	88	63	77	83	73	55	451	145	42	7	645
KENT COUNTY	60	71	101	151	138	130	139	147	120	97	913	165	61	15	1,154
Fall River	....	....	....	....	69	61	69	63	76	....	57	247	29	5	338
Jamestown	1	1	3	2	1	1	2	2	1	2	13	....	3	....	16
Little Compton	5	7	13	4	11	7	5	6	3	3	62	....	2	....	64
Middletown	6	8	3	4	1	1	3	....	2	5	31	....	1	1	33
Newport	55	45	56	51	77	81	95	106	108	86	459	197	88	16	760
New Shoreham	....	....	7	9	5	14	8	6	9	5	61	....	2	....	63
Portsmouth	5	10	12	11	10	7	11	14	7	11	88	....	8	2	98
Tiverton	32	14	95	118	25	21	35	46	18	30	243	158	29	4	434
NEWPORT COUNTY	104	85	189	199	199	193	228	243	224	142	1,014	602	162	28	1,806
Burrillville	5	....	8	7	9	15	33	19	25	27	70	69	9	....	148
Cranston	1	...	12	21	19	21	22	39	39	33	158	27	16	6	207
Cumberland	65	67	66	94	114	111	113	113	66	109	548	286	64	20	918
East Providence	....	....	....	....	....	....	....	....	....	15	15	....	....	....	15

Digitized by Google

Foster	9	5	11	10	11	11	17	11	20	14	114	....	4	1	119
Glocester	4	3	7	6	12	9	20	8	12	12	86	3	3	1	93
Johnston	....	....	5	26	25	18	20	18	8	31	106	26	16	3	151
North Providence	9	71	122	118	115	74	124	144	119	104	492	359	118	31	1,000
Pawtucket	....	....	....	....	....	....	....	....	....	16	14	1	1	....	16
Scituate	28	25	25	23	31	31	34	47	40	32	295	6	12	3	316
Smithfield	103	57	72	66	83	53	69	83	86	80	513	154	63	22	752
TOWNS PROVIDENCE COUNTY	224	228	328	371	419	343	452	482	415	473	2,411	931	306	87	3,735
PROVIDENCE CITY	674	549	636	656	614	560	611	620	546	547	3,182	2,183	568	80	6,013
Charlestown	8	4	1	1	1	1	1	6	....	1	23	1	....	....	24
Exeter	10	9	6	4	10	16	19	15	24	13	122	1	3	....	126
Hopkinton	30	8	13	25	11	30	39	36	30	20	218	11	12	1	242
North Kingstown	16	19	10	16	15	18	26	28	23	20	177	3	8	3	191
South Kingstown	19	7	12	9	23	28	35	39	27	25	181	23	11	9	224
Richmond	14	3	15	6	15	6	15	10	15	8	96	3	6	2	107
Westerly	42	21	11	28	24	31	44	36	26	46	244	43	22	....	309
WASHINGTON COUNTY	139	71	68	89	99	130	179	170	145	133	1,061	85	62	15	1,223

RECAPITULATION.

COUNTIES.															
Bristol	98	43	53	69	57	82	63	86	83	58	486	153	52	1	692
Kent	60	71	101	151	138	130	139	147	120	97	913	165	61	15	1,154
Newport	104	85	189	199	199	193	228	243	224	142	1,014	602	162	28	1,806
Providence	898	777	964	1,027	1,033	903	1,063	1,102	961	1,020	5,593	3,114	874	167	9,748
Washington	139	71	68	89	99	130	179	170	145	133	1,061	85	62	15	1,223
WHOLE STATE	1,299	1,047	1,375	1,535	1,526	1,438	1,672	1,748	1,533	1,450	9,067	4,119	1,211	226	14,623

Digitized by Google

TABLE. XX.

BIRTHS, MARRIAGES, AND DEATHS IN RHODE ISLAND,

From January 1st, 1853, to December 31st, 1862, Ten Years.

Showing the number of each sex in each month, and the percentages of each sex in each month, the months being reduced to periods of equal length in the percentage columns.

BIRTHS—TEN YEARS.

MONTHS.	WHOLE NUMBER.	Monthly percentage equalized.	MALES.		FEMALES.		SEX NOT STATED
			Whole Number.	Monthly percentages equalized.	Whole Number.	Monthly percentages equalized.	
January	2,893	7.93	1,503	8.02	1,380	7.85	10
February	2,779	8.43	1,457	8.61	1,310	8.27	12
March	3,045	8.35	1,593	8.51	1,441	8.19	11
April	2,827	8.01	1,482	8.17	1,333	7.83	12
May	2,893	7.93	1,457	7.78	1,421	8.08	15
June	2,904	8.22	1,483	8.18	1,404	8.24	17
July	3,037	8.32	1,578	8.43	1,443	8.20	16
August	3,145	8.62	1,628	8.69	1,511	8.59	6
September	3,008	8.52	1,516	8.36	1,480	8.69	12
October	3,086	8.46	1,559	8.32	1,513	8.60	14
November	3,075	8.71	1,581	8.71	1,480	8.69	14
December	3,100	8.50	1,540	8.22	1,544	8.77	16
TEN YEARS' TOTAL	35,792	100.00	18,377	100.00	17,260	100.00	155

DEATHS—TEN YEARS.

January	1,777	7.84	884	7.94	891	7.76	2
February	1,631	7.96	784	7.80	845	8.15	2
March	1,748	7.71	823	7.40	923	8.04	2
April	1,675	7.63	867	8.04	804	7.23	4
May	1,657	7.30	847	7.61	808	7.04	2
June	1,486	6.77	750	6.96	730	6.57	6
July	1,885	8.32	968	8.69	909	7.92	8
August	2,594	11.44	1,307	11.74	1,278	11.13	9
September	2,331	10.62	1,121	10.41	1,200	10.80	10
October	1,945	8.58	911	8.18	1,026	8.94	8
November	1,744	7.95	813	7.55	928	8.35	3
December	1,787	7.88	855	7.68	927	8.07	5
TEN YEARS' TOTAL	22,260	100.00	10,930	100.00	11,269	100.00	61

Fifteen births, (7 males, 8 females,) and eleven deaths, (4 males, 7 females,) for which no date is given, are omitted.

Digitized by Google

Table XX. Continued. MARRIAGES.

MONTHS.	Whole number.	Monthly Percentages equalized.	MONTHS.	Whole number,	Monthly Percentages equalized.
January	1,237	8.62	July	1,041	7.26
February	1,037	8.00	August	1,019	7.10
March	875	6.10	September	1,338	9.64
April	1,077	7.75	October	1,421	9.90
May	1,239	8.63	November	1,538	11.07
June	1,138	8.19	December	1,111	7.74
1st Six Months	6,603	47.29	Whole Year	14,071	100.00

Twenty-three marriages, with no date given, are omitted.

Table XXI. PLURALITY BIRTHS IN RHODE ISLAND.

From January 1, 1853, *to December* 31, 1862. *Ten Years.*

MONTHS.	Number of cases.	Sex of Children. Males.	Sex of Children. Females.	No. of children.	MONTHS.	Number of cases.	Sex of Children. Males.	Sex of Children. Females.	No of children.
January	23	25	21	46	August	38	35	42	77
February	24	22	26	48	September	35	29	43	72
March	38	49	27	76	October	27	28	28	56
April	32	28	36	64	November	30	30	28	60
May	36	39	33	72	December	35	30	42	72
June	38	35	41	78					
July	38	38	38	76	Total	394	388	405	797

There were two children in June, and two in November, of whom the sex was not stated. The totals for "sex of children" should read, Males, 388; Females, 405; Not stated, 4; Total, 797.

Parentage.—Of the whole number, 394 cases of Plurality Births, in ten years, 183 were of American parents; 187 of foreign parents; 16 of mixed parentage, i. e., one American and one foreign parent; and eight cases, parentage not stated.

Triplets.—There were nine cases of triplets in ten years, giving 13 male, and 14 female children. Two of these cases were of American, and seven of foreign parents.

Locality.—Of the 394 cases of Plurality Births, there were in Bristol County, 21; Kent Co., 29; Newport Co., 35; Providence Co., 277; Washington Co., 32; Whole State, 394.

Digitized by Google

TABLE XXII. CAUSES OF DEATH, FROM JUNE 1st, 1852, TO DECEMBER 31st, 1862.

Ten Years and Seven Months.

Classified and arranged by sex and divisional periods of life.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
11,267	11,591	69	22,927	ALL CAUSES	8,374	1,121	446	877	2,151	1,959	1,706	1,514	1,550	1,673	1,271	277
10,206	10,570	29	20,805	SPECIFIED CAUSES	7,486	1,025	415	814	2,021	1,854	1,578	1,364	1,404	1,503	1,177	156
2,883	2,939	13	5,835	I. ZYMOTIC DISEASES	3,695	589	161	181	296	249	169	129	144	121	51	43
				SPORADIC DISEASES.												
943	1,093	6	2,042	II. GENERAL, OR NOT LOCALIZED	832	45	16	24	85	119	174	201	224	221	86	15
1,488	1,245	4	2,737	III. NERVOUS SYSTEM	1,366	142	48	52	98	144	156	153	196	254	117	11
2,626	3,125	6	5,757	IV. RESPIRATORY SYSTEM	853	107	101	433	1,202	906	686	533	463	330	103	40
339	350	..	689	V. CIRCULATORY SYSTEM	49	22	15	21	55	82	87	83	122	115	36	2
585	560	..	1,145	VI. DIGESTIVE SYSTEM	455	24	22	28	62	96	110	125	109	78	27	9
122	64	..	186	VII. URINARY SYSTEM	7	3	6	5	14	19	16	19	40	48	8	..
....	211	..	211	VIII. GENERATIVE SYSTEM	....	....	1	13	56	77	37	12	10	5	....	..
60	58	..	118	IX. LOCOMOTIVE SYSTEM	13	11	7	12	11	15	17	11	8	9	3	1
15	10	..	25	X. INTEGUMENTIVE SYSTEM	18	....	..	1	...	1	1	....	1	1	1	1
394	658	..	1,052	XI. OLD AGE	....	....	..	..	...	....	....	1	22	290	734	5
751	257	..	1,008	XII. EXTERNAL CAUSES	198	82	38	44	142	146	125	97	65	31	11	29

Digitized by Google

				I. Zymotic Diseases.												
100	76	2	178	Cholera Asiatic	22	10	3	5	33	41	25	18	10	10	1	..
480	442	3	925	Cholera Infantum	920	2	..	..	...	....	....	...	....	....	....	3
37	45	..	82	Cholera Morbus	18	3	2	3	5	14	9	4	12	6	5	1
301	276	1	578	Croup	454	109	7	1	....	1	....	....	....	1	....	5
207	210	2	419	Diarrhœa	311	3	1	1	12	13	19	15	20	16	5	3
132	182	..	314	Diphtheria	158	93	28	12	12	4	4	....	2	....	....	1
372	394	2	768	Dysentery	522	35	13	11	25	36	22	23	36	27	10	6
62	67	1	130	Erysipelas	49	5	4	6	5	12	11	7	10	9	12	..
56	59	..	115	Fevers (various)	27	6	1	2	12	15	12	10	12	9	3	6
....	70	..	70	Fever, Puerperal	....	...	..	3	36	21	9	..	....	...	....	1
334	286	..	620	Fever, Typhoid and Typhus	33	41	51	122	132	69	47	45	35	27	7	6
99	115	..	214	Hooping Cough	206	7	..	1	...	....	....	....	....	....	..	..
2	1	..	3	Hydrophobia	...	1	..	..	...	1	1	....	....	....	....	..
14	24	..	38	Influenza	13	....	..	1	....	1	....	....	3	12	8	..
71	64	1	136	Measles	118	12	..	..	1	2	1	1	1	....	....	..
11	8	..	19	Purpura	13	....	1	..	1	1	1	1	...	1	....	..
533	554	1	1,088	Scarlatina	750	257	48	11	9	3	1	....	....	..	....	9
36	28	..	64	Small Pox and Varioloid	26	3	..	..	12	12	3	2	2	3	....	1
11	12	..	23	Syphilis	15	....	..	..	1	1	3	2	1	....	...	..
21	18	..	39	Thrush	37	1	..	..	....	...	....	1	....	....	..	..
4	8	..	12	Others of Class I	3	1	2	2	....	2	1	....	....	....	...	1
2,883	2,939	13	5,835	Total	3,695	589	161	181	296	249	169	129	144	121	51	43
				II. General, or not Localized.												
27	18	..	45	Abcess	3	1	..	3	9	4	10	4	6	2	3	..
211	300	..	511	Anæmia and Dropsy	38	18	8	11	46	51	54	65	82	97	36	5
94	245	..	339	Cancer (all kinds)	2	....	..	1	4	34	68	82	74	51	22	1
176	151	.	327	Debility and Premature Birth	227	....	1	..	3	6	8	11	29	32	6	4
67	41	2	110	Malformations (all kinds)	109	1	..	..	....	...	....	....	....	....	...	..

Digitized by Google

TABLE. XXII. CONTINUED. CAUSES OF DEATH, FOR TEN YEARS AND SEVEN MONTHS.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
192	176	3	371	Marasmus	331	7	3	..	1	4	1	12	6	6	....	..
41	18	..	59	Mortification	6	1	1	1	2	1	2	4	8	20	10	3
46	48	..	94	Scrofula and Tubercle	53	16	1	4	5	2	7	4	2	...	....	..
89	96	1	186	Others of Class II	63	1	2	4	15	17	24	19	17	13	9	2
943	1,093	6	2,042	Total	832	45	16	24	85	119	174	201	224	221	86	15
				III. NERVOUS SYSTEM.												
318	327	..	645	Apoplexy and Paralysis	5	4	3	3	10	48	53	81	133	202	100	3
90	76	..	166	Brain, Congestion of	108	14	5	11	8	6	2	4	3	4	....	1
277	235	1	513	Brain Diseases and Inflammation of	251	52	25	20	31	33	33	25	17	20	5	1
308	266	1	575	Convulsions	506	20	3	5	7	8	9	5	4	6	2	..
69	3	..	72	Delirium Tremens	....	....	..	..	8	17	23	12	6	3	1	2
295	247	2	544	Hydrocephalus	482	48	5	2	2	1	1	....	....	..	....	3
58	51	..	109	Insanity	....	....	..	1	10	16	21	21	21	11	8	..
26	9	..	35	Tetanus	10	1	3	6	4	4	6	....	1	....	...	..
47	31	..	78	Others of Class III	4	3	4	4	18	11	8	5	11	8	1	1
1,488	1,245	4	2,737	Total	1,366	142	48	52	98	144	156	153	196	254	117	11
				IV. RESPIRATORY SYSTEM.												
46	38	..	84	Bronchitis	38	3	..	1	4	6	3	5	5	15	4	..

Digitized by Google

1,789	2,363	4	4,156	Consumption	249	41	79	401	1,107	787	572	390	299	169	31	31
45	57	..	102	Dropsy of Chest	11	6	2	3	7	9	7	13	25	14	4	1
15	13	..	28	Laryngitis	12	3	1	..	3	3	1	1	2	2	....	..
66	50	..	116	Lungs, Congestion of	55	4	4	1	4	12	5	4	8	17	2	..
592	552	2	1,146	Pneumonia and Pleurisy	461	39	14	22	69	82	82	109	109	98	55	6
73	52	..	125	Others of Class IV	27	11	1	8	8	7	16	11	15	15	7	2
2,626	3,125	6	5,757	Total	853	107	101	433	1,202	906	686	533	463	330	103	40
				V. Circulatory System.												
8	2	..	10	Aneurism	....	....	..	..	1	4	3	1	....	1	....	..
320	331	..	651	Heart, Disease of	47	21	14	21	50	73	79	82	119	108	35	2
11	17	.	28	Others of Class V.	2	1	1	..	4	5	5	...	3	6	1	..
339	350	..	689	Total	49	22	15	21	55	82	87	83	122	115	36	2
				VI. Digestive System.												
100	92	..	192	Bowels, Inflammation of	58	9	6	15	22	16	23	19	12	10	2	..
49	35	..	84	Colic	23	1	..	1	4	10	8	15	12	8	1	1
12	10	..	22	Hernia	5	....	..	1	....	1	3	3	4	4	1	..
96	98	..	194	Liver, Diseases of	8	2	..	1	8	25	40	45	29	29	4	3
46	55	..	101	Peritonitis	9	4	10	4	17	15	13	7	15	2	3	2
23	52	..	75	Stomach, Diseases of	8	5	3	1	1	12	7	11	13	10	3	1
143	134	..	277	Teething	277	....	..	..	....	....	....	..	....	....	....	..
116	84	..	200	Others of Class VI	67	3	3	5	10	17	16	25	24	15	13	2
585	560	..	1,145	Total	455	24	22	28	62	96	110	125	109	78	27	9
				VII. Urinary System.												
20	5	..	25	Bladder, Diseases of	..	..	..	1	....	....	4	2	6	12	..	..
18	16	..	34	Diabetes	2	1	4	1	3	2	3	7	6	5	..	..

Digitized by Google

TABLE XXII. CONTINUED. CAUSES OF DEATH, FOR TEN YEARS AND SEVEN MONTHS.

SEX.				CAUSES OF DEATH.	AGES.											
Males.	Females.	Not stated.	Total.		Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over.	Age not stated.
60	40	..	100	Kidneys, Diseases of	4	2	2	3	10	16	8	9	20	20	5	..
24	3	..	27	Others of Class VII	1	....	..	..	1	1	1	1	8	11	3	..
122	64	..	186	Total	7	3	6	5	14	19	16	19	40	48	8	..
				VIII. GENERATIVE SYSTEM.												
....	155	..	155	Child Birth	..	..	..	12	55	65	23	....	....	...	....	..
....	56	..	56	Others of Class VIII	....	....	1	1	1	12	14	12	10	5	....	..
..	211	..	211	Total	....	....	1	13	56	77	37	12	10	5	....	..
				IX. LOCOMOTIVE SYSTEM.												
25	28	.	53	Rheumatism	...	3	4	2	7	7	9	6	6	7	2	..
23	22	..	45	Spine, Diseases of	10	4	2	6	2	6	6	4	2	2	....	1
12	8	.	20	Others of Class IX	3	4	1	4	2	2	2	1	....	....	1	..
60	59	..	118	Total	13	11	7	12	11	15	17	11	8	9	3	1
				X. INTEGUMENTIVE SYSTEM.												
15	10	..	25	Total of Class X	18	...	..	1	....	1	1	....	1	1	1	1

Digitized by Google

394	658	..	1,052	XI. Old Age	....	....	..	..	....	....	....	1	22	290	734	5
				XII. External Causes.												
248	50	.	298	Accidents (various)	27	20	13	15	54	54	38	21	26	14	9	7
61	71	..	132	do Burns and Scalds	83	10	6	3	10	6	2	4	4	1	1	2
194	30	..	224	do Drowning	32	47	18	17	39	25	22	7	3	2	....	12
12	10	..	22	do Suffocation	15	...	..	1	....	..	1	3	....	...	....	2
26	18	..	44	do Poisoning	18	5	1	1	2	7	4	2	....	3	....	1
13	....	..	13	Heat and Cold	....	...	..	1	3	4	2	3	...	....	....	..
17	7	..	24	Homicide	1	....	..	..	8	3	4	2	1	2	....	3
86	35	..	121	Intemperance	....	....	..	..	8	33	34	28	15	2	1	..
2	....	..	2	Lightning	...	....	..	1	....	...	....	....	1	...	....	..
57	25	..	82	Suicide	....	...	..	2	12	11	14	22	13	6	...	2
7	....	..	7	Wounds in Battle	...	....	..	2	3	....	1	1	..	....	..	..
28	11	..	39	Others of Class XII	22	....	..	1	3	3	3	4	2	1	....	..
751	257	..	1,008	Total	198	82	38	44	142	146	125	97	65	31	11	29
1,061	1,021	40	2,122	Unknown	888	96	31	63	130	105	128	150	146	170	94	121

Digitized by Google

TABLE XXIII. CAUSES OF DEATH IN RHODE ISLAND FOR TEN YEARS.

1853 TO 1862, INCLUSIVE.

Showing the influence of Seasons upon the Causes of Death.

CAUSES OF DEATH.	FIRST QUARTER.				SECOND QUARTER.				THIRD QUARTER.				FOURTH QUARTER.				TOTAL FOR TEN YEARS.
	January.	February.	March.	Total.	April.	May.	June.	Total.	July.	August.	September.	Total.	October.	November.	December.	Total.	
Apoplexy	33	27	40	100	45	30	33	108	36	25	35	96	33	41	30	104	408
Bowels, Inflammation of	13	7	5	25	11	10	15	36	18	32	29	79	16	14	12	42	182
Brain, Congestion of	16	14	14	44	9	14	9	32	17	13	21	51	15	12	12	39	166
Bronchitis	12	9	8	29	11	10	5	26	5	3	2	10	4	8	5	17	82
Burns and Scalds	16	19	8	43	13	7	4	24	12	4	6	22	10	13	17	40	129
Child Birth	9	13	13	35	14	10	8	32	12	8	16	36	7	5	16	28	131
Cholera, Asiatic	....	....	....	....	....	8	9	17	20	118	23	161	....	....	....	....	178
Cholera Infantum	1	1	3	5	3	5	10	18	178	369	228	775	80	9	3	92	890
Cholera Morbus	1	....	1	2	1	2	4	7	17	28	9	54	5	....	1	6	69
Consumption	354	326	359	1,039	320	308	318	946	285	346	335	966	336	356	379	1,071	4,022
Convulsions	35	56	31	122	40	50	49	139	75	63	46	184	42	40	26	108	553
Croup	65	49	49	163	51	40	44	135	23	21	33	77	60	57	73	190	565
Diarrhœa	6	10	5	21	7	4	7	18	47	124	102	273	58	30	10	98	410
Diphtheria	33	17	22	75	32	20	13	65	19	21	18	58	31	54	34	119	314
Dropsy and Anæmia	41	38	45	124	28	47	32	107	40	41	37	118	61	36	44	141	490
Dropsy of Chest	9	9	13	31	7	12	11	30	4	8	7	19	6	8	3	17	97
Drowning	3	11	8	22	13	19	32	64	38	39	17	94	14	8	15	37	217
Dysentery	3	9	8	20	6	8	12	26	79	255	172	506	109	31	12	152	704
Erysipelas	13	8	14	35	17	13	12	42	8	7	8	23	9	11	9	29	129
Fevers, Typhoid, Typhus, &c.	49	25	26	100	28	32	20	80	33	43	66	142	73	87	52	212	534

Digitized by Google

Fever, Puerperal	10	6	4	20	4	9	4	17	4	10	2	16	2	2	9	13	66
Heart, Disease of	56	50	57	163	50	62	41	153	52	51	60	163	45	59	54	158	637
Hooping Cough	16	17	15	48	18	10	9	37	19	28	39	86	19	9	14	42	213
Hydrocephalus	43	45	26	114	54	41	38	133	47	50	59	156	49	27	37	113	516
Influenza	6	4	5	15	1	3	1	5	..	....	....	....	7	3	8	18	38
Insanity	11	2	12	25	1	9	14	24	13	8	10	31	7	11	11	29	109
Liver, Disease of	19	15	14	48	16	14	17	47	15	14	15	44	15	23	12	50	189
Lungs, Congestion of	15	9	14	38	11	15	5	31	4	11	3	18	7	11	11	29	116
Measles	11	13	15	39	11	16	19	46	13	13	15	41	4	6	....	10	136
Old Age	103	92	93	288	84	77	66	227	60	88	90	238	89	88	96	273	1,026
Paralysis	21	13	28	62	20	16	19	55	14	13	20	47	22	16	24	62	226
Peritonitis	6	2	9	17	9	8	6	23	10	12	12	34	8	11	6	25	99
Pneumonia and Pleurisy	133	127	147	407	129	119	68	316	39	39	51	129	63	105	111	279	1,131
Rheumatism	4	4	1	9	7	8	6	21	5	5	2	12	2	1	8	11	53
Scarlatina	121	117	134	372	96	106	96	298	66	42	37	145	48	81	109	238	1.053
Scrofula and Tubercle	4	9	9	22	9	9	6	24	10	9	8	27	8	7	5	20	93
Small Pox and Varioloid	9	9	6	24	9	11	....	20	5	1	6	12	1	3	4	8	64
Suicide	6	5	6	17	8	11	11	30	6	9	4	19	3	6	5	14	80
Teething	12	11	13	36	13	14	29	56	34	59	46	139	26	12	7	45	276
Thrush	1	....	1	2	2	2	1	5	4	6	7	17	6	3	5	14	38

NOTE.—The first death reported from Diphtheria was in August, 1858.

Digitized by Google

TABLE XXIV. DEATHS IN RHODE ISLAND.

FOR TEN YEARS AND SEVEN MONTHS.

From June 1st, 1852, to December 31st, 1862.

Showing the number in each period of life, in each county in the State; also showing the number in Providence city, and in the towns of Providence County, for the five years, 1858 *to* 1862 *inclusive.*

PERIODS OF LIFE.	COUNTIES. 1852-1862. 10 YEARS, 7 MONTHS.						5 YEARS. 1858-62.	
	Bristol.	Kent.	Newport.	Providence.	Washington.	Whole State.	Towns in Providence co.	Providence city.
Under 1 year.....	227	285	366	2,937	176	3,991	645	1,005
1 and under 2....	101	146	162	1,722	77	2,208	354	518
2 " " 3....	53	61	82	770	45	1,011	182	225
3 " " 4....	31	35	63	504	33	666	98	154
4 " " 5...	29	26	62	351	27	495	84	103
Total under 5 ...	441	553	735	6,284	358	8,371	1,363	2,005
5 and under 10..	62	65	126	783	89	1,125	184	219
10 " " 15..	26	38	54	293	38	449	76	88
15 " " 20..	61	91	98	571	54	875	136	157
20 " " 30..	115	165	190	1,576	103	2,149	340	447
30 " " 40..	107	127	179	1,465	85	1,963	293	514
40 " " 50..	103	145	175	1,200	81	1,704	263	388
50 " " 60..	102	127	206	988	95	1,518	239	310
60 " " 70..	105	135	235	975	102	1,552	279	308
70 " " 80..	169	207	301	845	150	1,672	264	258
80 " " 90..	99	127	209	490	108	1,033	149	151
90 and over.... ..	21	23	54	116	25	239	34	37
Age not stated....	9	33	89	129	19	279	41	....
Totals	1,420	1,836	2,651	15,715	1,307	22,929	3,661	4,882

Digitized by Google

RESULTS AND OBSERVATIONS.

Digitized by Google

Digitized by Google

RESULTS AND OBSERVATIONS.

1862.

THE year 1862 is marked by a very considerable diminution in the numbers of all the three classes of events which form the subject of this Report. The numbers recorded in five successive years have been as follows:

	1858.	1859.	1860.	1861.	1862.
Living Births,	4,086	4,323	4,493	4,694	4,002.
Still Born	177	177	167	146	123.
Marriages	1,438	1,672	1,748	1,533	1,450.
Deaths	2,616	2,270	2,686	2,927	2,591.

The births in 1862 were fewer than in any year since 1857; the marriages fewer than in any since 1858; the deaths fewer than in any since 1857, excepting the uncommonly healthy year of 1859. The diminution from the year 1861 was, in births, including the still-born, 715, or nearly 15 per cent.; in marriages, 83, or more than 5 per cent.; and in deaths, 336, or more than 11 per cent.

This diminution is made somewhat more remarkable by the circumstance that this State received an accession of territory, which brought an increase of about one-seventieth to its number of inhabitants. On the first day of March, 1862, an exchange with Massachusetts went into effect, by which Rhode Island lost the town of Fall River, in Newport County, and gained in return the two towns of East Providence and Pawtucket, the former containing the greater part of the area of Seekonk, in Bristol County, Massachusetts. These two towns were added to Providence County. The population of Fall River, by the census of 1860, amounted to 3,337. The population of East Providence and Pawtucket is estimated at 5,900, and is probably larger; so that the exchange added somewhat more than 2,500 to the population of this State. The returns made to our Secretary of State for the year 1862, from East Providence and Pawtucket, include all the

Digitized by Google

events recorded in those towns for the whole year. Fall River made no return for that year.

The excess of living births over the deaths, or what is called the increase by natural causes, has been as follows, so far as our registration represents it correctly:

In 1858—1470. 1859—2,053. 1860—1,807 1861—1,767. 1862—1411.

In 1858 the number of deaths was increased by the unusual prevalence of scarlatina and some other zymotic diseases; the next year was one of extraordinary good health; since then the natural increase has lessened every year. In the year immediately under consideration it was smaller than before, in spite of a general absence of prevailing destructive diseases.

The proportions of births, marriages and deaths in 1862 to the population in 1860, were as follows:

One Birth in 42.94 living inhabitants.
One person married in 61.08 living inhabitants.
One Death in 68.37 living inhabitants.

Without dwelling at present on the probable causes of this diminution in the number of births, marriages and deaths, we may analyze it to see how far it is constant and universal, or how far it is confined to particular regions, seasons, or classes of inhabitants.

That it is a real diminution, and not an apparent one, caused by lessened accuracy in registration, is evident to any one who examines the original returns, and appears, indeed, on the face of the tables presented in this Report. Every town sends in fair returns, though many country towns are still deficient in point of numbers of recorded facts; and the greater care taken in the record is shown by the lessened figures in those unwelcome columns which bear the heading of "not stated."

Neither is this diminution, at least in regard to births and marriages, merely one of the downward waves in a series of fluctuations. On the contrary, the number of recorded births had been steadily increasing for several years, until now it suddenly falls off one seventh. The marriages had been reduced in number in 1858 by the depressed condition of business and labor in the preceding autumn and winter; had since then risen until the year 1860, and fallen off each year since the war began. From the returns for a longer period of years in the two adjoining States, and in Providence city, there is reason to suppose that, on the whole, the number of marriages, or at any rate the ratio

Digitized by Google

of marriages to population, has been lessening for several years in this part of New England.* This lessening has been disguised by the accidental variations arising from such disturbances as the "crisis" of 1857, and also by the increase in fullness of registration. As to deaths, the numbers necessarily fluctuate from year to year with the varying sickliness of the seasons, and severity of epidemic and endemic diseases.

We will now show, in some little detail, the differences between the two successive years, 1861 and 1862. It will be understood that this difference is a diminution, or that the figures for 1862 are the smaller, except where otherwise indicated by the sign (†). Where that sign is used there was an increase in 1862.

LOCALITY.—We first compare the divisions of the State.

DIFFERENCE IN	Bristol Co.	Kent Co.	Newport Co.	Prov. Co. towns.	Prov. city.	Washington County.
Births	18	54	121	217	196	109
Marriages	25	23	82	† 58	† 1	12
Deaths	45	48	82	† 40	137	64

The apparent increase of one in the marriages in Providence city arises from a difference between the City Registrar's return to the Secretary of State and his final total, owing to one marriage in 1861 being reported to him too late to be included in his return. His annual report makes the marriages 547 in each year. The increase in marriages and deaths in the towns of Providence County depends in a great degree on the addition of the two new towns. Thus, the increase of marriages was 58, and the two new towns reported 31; the increase of deaths was 40, and the new towns reported 65. On the other hand, the diminution in Newport County was enhanced by the loss of Fall

* See the following table, borrowed from the Massachusetts Registration Report for 1861, by Dr. Augustus A. Gould, page 16.

RECORDED MARRIAGES.

	1854.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.
Providence	....	636	656	614	560	611	620	547	547
Boston	3,128	2,855	2,536	2,385	2,155	2,481	2,520	2,166	2,094
Persons living to 1 marriage.	49	56	65	71	84	70	70	86	87

Digitized by Google

River, which in 1861 had reported 112 births, 76 marriages and 82 deaths; so that this transfer accounts for all the lessened mortality, and nearly all the other reduction in that county. On the whole, after these adjustments are all made, we find that the diminution is not confined to any portion of the State; and in respect to births especially is universal and very considerable. The number of births was lessened in every ward of Providence city.

SEASON.—We next compare the four quarters of the year.

DIFFERENCE IN	Jan.—March.	April—June.	July—Sept.	Oct.—Dec.
Births	102	171	294	148
Marriages	† 9	105	† 25	12
Deaths	96	33	184	23

It appears that there were more marriages in 1862 than in the year before, in the *first* quarter and in the *third* quarter; the diminution was almost confined to the *second* quarter. This is partly explained by the uncommonly large number in the months of April and June, 1861, which was alluded to in the last annual report, and there attributed, probably correctly, to the marriages of volunteers just before the departure of the first and second Rhode Island regiments. All the months had fewer marriages in 1862 than in 1861, except March, August, September and November.

There were fewer births in each month of 1862 than in the corresponding month of the year before, and fewer deaths in every one, except May, June and November. This decrease is far most obvious, as to births and deaths, in the *third* quarter of the year; amounting to more than one-fifth in each of these two classes of events. This diminution in the third quarter exists in every division of the State, forming a very remarkable peculiarity in the statistical history of the year.

Digitized by Google

NATIVITY.—The next table shows the number of events in the two classes of inhabitants, *American* and *foreign*, in each year, 1861 and 1862, and the difference between those two years.

	American.	Foreign.	Not stated.
Births. 1861.....	2,419	2,340	81
do. 1862.....	2,135	1,983	7
DIFFERENCE	284	357	74
Marriages. 1861.....	1,024	485	24
do. 1862.....	1,027	420	3
DIFFERENCE	†3	65	21
Deaths. 1861.....	1,684	1,066	177
do. 1862..... ...	1,649	938	4
DIFFERENCE	35	128	173

Births and deaths are classed according to the nativity of the fathers of the individuals whose births and deaths are recorded; marriages according to the nativity of the bride-grooms.

The diminution was much greater in the foreign than in the American class; and, as the total numbers are smaller in the foreign than in the American class, the *proportionate* is still more in excess than the *absolute* numerical decrease. Thus, the lessening from 1861 to 1862 amounted to the following percentage in each class severally:

	Births.	Marriages.	Deaths.
American.....	11.7 per cent.	....	2.1 per cent.
Foreign.....	15.3 " "	13.4 per cent.	12.0 " "

A part of this reduction in the foreign marriages depends on the loss of Fall River, with its large number of marriages of Roman Catholics. In the year 1861, Fall River reported 18 marriages in the American, and 50 in the foreign class. Only one foreign marriage is reported in 1862 from both the new towns, East Providence and Pawtucket, put together. We believe there is no Roman Catholic church or resident clergyman in those two towns. The marriages of Roman Catholic residents of Pawtucket are usually solemnized in North Providence, and were so formerly, when the township of Pawtucket belonged to Massachusetts.

But it is obvious that the war has had a decided effect in lessening the marriages in our foreign population, while those in the American class are three more in 1862 than in 1861. In contrast with these

Digitized by Google

results, it is curious to notice that the diminution of marriages in 1858, which was ascribed to the financial troubles of that year and the previous autumn, with the interruption of those kinds of labor which employ a large part of our foreign population, was confined to the American class. At that time the foreign marriages were actually a little increased. Now, in a period of war, when we are contending for our own nationality, the diminution falls wholly on the foreign class, and the marriages of men born in the United States are actually increased by three. We leave to others the curious speculations which these statistics invite.

The ratios of American to foreign births, marriages and deaths had been pretty uniform for three years, as shown in the ninth report. The following are the percentages in the *foreign* class in four successive years.

	Births.	Marriages.	Deaths.
1859	49.3	34.3	37.4.
1860	48.3	34.	38.9.
1861	49.2	32.1	37.8-
1862	48.2	29.	36.3

Color.—Recent events have given more than usual interest and importance to the statistics of the *colored* population in New England. We give the principal facts, showing as follows: the colored population by the census of 1860, and the number of births, marriages and deaths in this population in 1862, in the principal divisions of the State.

COLORED POPULATION. 1862.

COUNTIES.	Colored Population in 1860.	Births.			No. of Marriages.	Deaths.		
		Males.	Females.	Total.		Males.	Females.	Total.
Bristol	308	3	4	7	2	4	3	7
Kent	259	3	4	7	1	4	3	7
Newport	822	7	8	15	4	5	9	14
Towns of Prov. Co.	440	1	1	2	2	7	1	8
Providence City	1,537	26	35	61	12	9	25	34
Washington	586	2	2	4	2	6	14	20
Whole State	3,952	42	54	96	23	35	55	90

Compared with 1861, there was a decrease in births, of 1; in marriages, of 7; in deaths, of 19.

Digitized by Google

In addition to the above, there were 19 Indians reported in the State, in 1860, viz: 6 in Kent County; one in Providence County; and 12 in Washington County.

The proportions to population, in 1862, were one birth in 41.1; one person married in 85.9; and one death in 43.9.

The *average age* at death of all the colored persons who died in the State in 1862 was—males, 31.25 years; females, 35.11 years; whole number, 33.61 years.

The deaths of colored persons were—in January, 8, February, 9; March,10; April, 6; May, 9; June, 9; July, 3; August, 11; September, 8; October, 6; November, 5; December, 6; total, 90. In the first quarter of the year, 27; second quarter, 24; third, 22; fourth, 17.

It is evident that the facts relating to the colored population are not fully reported in the country towns. South Kingstown, with a colored population of 352, reports 12 deaths of colored persons, but no births or marriages, in 1862.

As a general rule, in Rhode Island there are more deaths than births among the colored population.

Sex.—The following shows the decrease in births, marrriages and deaths in each *sex*, in all the returns for 1862, as compared with 1861:

	Births.	Deaths.
Decrease in males	379	132.
do. females	327	204.
do. sex not stated	12	0.

The proportion between the sexes at birth in 1862 was more unequal than usual, viz: 109.41 boys to 100 girls. In the year before it rose as high as 110.48 boys to 100 girls. In ten years the ratio has been 106.14 boys to 100 girls. In Providence city the proportion was very nearly the same in 1862 as the average for eight years.

It might have been expected, on account of the drain of male population by the war, that the deaths of males would be more lessened than those of females; but the reverse was the fact. The ratio in regard to deaths was 100.85 males to 100 female decedents.

Digitized by Google

Age at Marriage.—The diminution in marriages was mainly confined to men and women under twenty-five years. We show this in tabular form.

MARRIAGES.

YEAR.	UNDER 25.		25 AND OVER	
	Males.	Females.	Males	Females.
1861.....	741	1,081	769	429
1862.....	608	958	837	488

There was a decrease in the marriages in each sex, at each of the two periods of life,—below twenty years, and between twenty and twenty-five—amounting in all, as this table shows, to 133 in males, and 123 in females. There was a slight increase in each sex, in the period from twenty-five to thirty, and a greater increase between thirty and forty; at ages over forty, there was an increased number of males, and a very slightly lessened number of females.

The percentages of either sex married at each age in three successive years were as follows:

	SEX.	Under 20	20-25	25-30	30-40	40-50	50 and over.	Total.
1860.	Males.....	5.0	42.8	26.9	16.3	5.7	3.3	100.00
	Females.....	25.8	44.1	17.0	9.1	2.6	1.4	100.00
1861.	Males.....	4.6	44.5	25.4	15.5	5.8	4.2	100.00
	Females.....	29.6	42.0	15.2	7.8	4.1	1.3	100.00
1862.	Males.....	4.2	37.8	27.9	18.3	5.9	5.9	100.00
	Females.....	24.9	41.3	16.7	11.8	4.1	1.2	100.00

Deaths.—The diminution in the deaths was owing to the absence of any extensive epidemic, and the moderate fatality of our ordinary zymotic diseases. The proportion of deaths attributed to this class of diseases was lower than in any former period of registration, not quite twenty-three and a half in every hundred deaths by known causes. The proportion of deaths in children was also smaller than usual—another sign of a healthy year.

Comparing 1862 with the year preceding, there was a decrease of of deaths in each one of the periods of life into which the ages at death are divided in our seventh preliminary table, excepting the

Digitized by Google

period between seventy and eighty years of age, in which there was a slight increase in 1862. We will now show the number of deaths in each divisional period of age, in the two years, but subdividing the ages less minutely; and in the same table, we exhibit the proportion, or percentage, of the deaths in 1862, which fell within each of these divisional periods.

DEATHS IN	Under 1.	1-5.	5-20.	20-40.	40-60.	60-80.	80 and over.	Not Stated.
1861.....	570	527	303	509	417	405	178	18
1862.....	459	406	275	488	378	405	168	2
Difference	111	121	28	21	39	0	10	16
Per Cent. 1862....	17.8	15.8	10.7	18.9	14.6	15.7	6.5	..

By comparison with tables on page 51 of the last annual report, which give the percentages of deaths at different ages, it will be seen that the proportion of mortality in children was less than in either 1860 or 1861.

The average age at death was 31.15: higher than in any former year since our reports were first issued, with the exception of 1859, when the average rose as high as 31.39. We suppose the true average age at death not to be so great as this, as deaths of children are more likely to be neglected by recording officers than those of adults.

The average varies greatly in different portions of the State, yet not so much as in the earlier years of registration, when this imperfection in the returns was such as to raise excessively the apparent average in many towns. In the year before us, Bristol county, with good returns, averages almost forty years, Newport county about thirty-nine, Washington county, almost thirty-three, Kent, thirty-one and a half, Providence city, a little more than twenty-eight, and the towns of that county, about thirty years. If we neglect those places which make very imperfect returns, we may say, generally speaking, that the towns mostly occupied by a scattered population, engaged in rural pursuits, average more than forty years; those which contain compact villages, especially manufacturing ones, give an average of between thirty and

Digitized by Google

forty years; while the three towns adjacent to Providence, on the north, west and south, together with Pawtucket, show a lower average than Providence city. In that city, the average age at death was greater in 1862 than in either of the preceding seven years, for which reports have been issued.

The City Registrar of Providence, by keeping the deaths of American and foreign parentage separately recorded, is able to exhibit the difference which appears every year between the average age at death in the two classes of inhabitants in that city. In 1862, this average was, in the American class, 31.71, or nearly thirty-two years; in the foreign class, just 28 years. In the seven years ending with 1862, the average age at death was, in American class 30.67; in foreign class, 19.27. It will be seen that the unusually high average in the year 1862 depended mostly on the difference in the foreign class. So again, in regard to the proportion of deaths in childhood: in the whole seven years, more than half the deaths of foreign parentage (50.77 per cent.) were at ages under five; in 1862, the number under five only amounted to 42.07 per cent. In the American class, the percentage under five was, in the whole seven years, 33.44; in 1862,—31.08. Thus the reduction in infantile mortality, which we have found to be characteristic of the year 1862, was mostly in the foreign class. The decrease in foreign marriages and births partly explains this.

Still Born.—In all the Reports on Registration in this State, except those for 1859 and 1860, the still born, so far as reported, have been included in the tables of births and excluded from the tables of deaths, while the statistics given in relation to them have been made up from the returns of deaths.

In the practical operation of the registration law it is found that the still born are very imperfectly reported in the returns of births, while in the returns of deaths they are probably as fully reported as the deaths from other causes. The error, therefore, if it be such, of including the still born in the tables of births, is very small and of little importance, while it would be manifestly incorrect to deduct from the births the whole number of still born as returned with the deaths.

Digitized by Google

Tho whole number of still-born reported in the State from June 1st, 1852, to December 31st 1862, ten years and seven months, was 1,469, as follows:

	June 1, 1852, to Dec. 31, 1861.	1862.	Total for 10 yrs. 7 mos.
Males	778	72	850
Females	524	50	574
Sex not stated	44	1	45
Totals	1,346	123	1,469

This gives 59.7 males and 40.3 females in each 100 still born, or 140 males to each 100 females.

Since January 1859, the reports have given the parentage of the 613 still-born, as follows:

	1859–1861.	1862.	Total 4 years.
American	189	35	224
Foreign	299	88	387
Not stated	2		2
Totals	490	123	613

From this it appears that in each 100 still born there are 36.6 of American, and 63.4 of foreign parentage.

During the ten years, 1853 to 1862 inclusive, the number of still-born has been 1,430, divided among the several portions of the year as follows:

MONTHS.	9 Yrs.	1862.	10 Yrs.	MONTHS.	9 Yrs.	1862.	10 Yrs.
January	100	16	116	August	129	7	136
February	97	15	112	September	106	12	118
March	130	4	134	October	87	8	95
April	106	10	116	November	112	14	126
May	107	10	117	December	113	10	123
June	98	6	104				
July	122	11	133	Total	1,307	123	1,430

Number of the Children.—The returns of the births in Rhode Island, beginning with the year 1857, show more or less completely, how many of those born were the first children of their *mothers*, how many second children, &c. We have compiled from the annual re-

Digitized by Google

ports the following table showing this fact in relation to 23,926 children born in the State, in the six years, 1857 to 1862 inclusive.

NUMBER OF THE CHILD. SIX YEARS.

NUMBER.	1857-61.	1862.	Total. 6 Years.	NUMBER.	1857-61.	1862.	Total. 6 Years.
First	4,820	925	5,745	Twelfth	62	18	80
Second	4,172	741	4,913	Thirteenth	39	4	43
Third	3,377	686	4,063	Fourteenth	21	7	28
Fourth	2,504	448	2,952	Fifteenth	7	5	12
Fifth	1,803	359	2,162	Sixteenth	4	2	6
Sixth	1,244	249	1,493	Seventeenth	6	1	7
Seventh	812	172	984	Nineteenth	1	....	1
Eighth	527	105	632	Twentieth	....	1	1
Ninth	356	61	417				
Tenth	219	45	264	Totals	20,076	3,850	23,926
Eleventh	102	21	123				

MORTALITY AND SEASONS.—We shall next give a few tables to illustrate the mortality of the year 1862, and of each season in that year. For this purpose we divide the year into quarters, or periods of three months each; the first quarter including the months, January, February, and March—and so on.

The total reported mortality was as follows, in the whole State, and in each division:

NUMBER OF DEATHS. 1862.

QUARTERS.	State.	Bristol Co.	Kent Co.	Newport Co.	Prov. Co. Towns.	Prov. City	Washington Co.
I	580	28	52	70	166	197	67
II	580	26	58	74	178	192	52
III	719	26	72	70	237	271	43
IV	712	43	72	73	232	254	38
Whole Year	2,591	123	254	287	813	914	200

The increase of population, by excess of *living* births over the deaths, was in the first quarter, 455; in second, 362; in third, 246; in fourth, 348.

Digitized by Google

The *proportionate* mortality in the four quarters was as follows:

PERCENTAGES. DEATHS. 1862.

QUARTERS.	State.	Bristol Co	Kent Co.	Newport Co.	Prov. Co. towns.	Prov. City	Washington Co.
I.....	22.4	22.8	20.6	24.4	20.4	21.6	33.5
II.....	22.4	21.1	22.8	25.8	21.9	21.0	26.0
III.....	27.7	21.1	28.3	24.4	29.2	29.6	21,5
IV	27.5	35.0	28.3	25.4	28.5	27.8	19.0
Whole Year.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0

The third quarter, comprising the months when summer complaints prevail, was the most fatal, as usual, though with less preponderance than is often observed. The local variations, such as the excessive proportion in the first quarter in Washington, or in the fourth quarter in Bristol county, are hardly worth analyzing, as the small number of facts reported, exposes them to the influence of mere accidental circumstances. The excess in the first three months in Washington county is *not* caused principally, by the continued prevalence of diphtheria, as might be imagined. Pneumonia and some other causes were in excess in that county during those months.

The next table shows what portion of the deaths in each quarter of the year depended on each of the more important classes of causes. In dividing sporadic diseases, we join those which, in the ninth preliminary table are entitled, "general, or not localized," with those located in the urinary, generative, locomotive and integumentive systems, in which the numbers are too small to be worth keeping separate. The main important systems of organs, whose diseases strike most directly at the sources of life are distinguished. After thus assigning to each class or group of classes of causes of deaths, its numerical and proportionate share in the mortality of each quarter of the year, the table does the same for some of the most important individual diseases.

Digitized by Google

CAUSES OF DEATH.

Quarters of Year. I.	II.	III.	IV.	Whole Year.	Causes of Death.	Per cent. in Year.	Per ct. in each quarter. IV.	III.	II.	I.
535	539	670	659	2,403	All known causes	100.0	100.0	100.0	100.0	100.0
93	88	219	164	564	Zymotic Diseases	23.5	24.9	32.7	16.3	17.4
					Sporadic Diseases of					
59	75	78	76	288	Nervous System	12.0	11.5	11.7	13.9	11.0
186	171	141	194	692	Respiratory System	28.8	29.5	21.0	31.7	34.8
34	25	29	25	113	Circulatory System	4.7	3.8	4.3	4.6	6.4
28	34	49	49	160	Digestive System	6.7	7.4	7.3	6.3	5.2
71	78	92	78	319	Other Systems	13.3	11.8	13.7	14.5	13.2
34	39	28	42	143	Old Age	5.9	6.4	4.2	7.3	6.4
30	29	34	31	124	External Causes	5.1	4.7	5.1	5.4	5.6
3	3	88	18	112	Cholera Infantum and Morbus.	4.7	2.7	13.1	.6	.6
7	6	74	25	112	Diarrhœa and Dysentery	4.7	3.8	11.0	1.1	1.3
17	19	8	29	73	Croup	3.0	4.4	1.2	3.5	3.2
26	20	10	25	81	Diphtheria	3.4	3.8	1.5	3.7	4.9
16	12	21	35	84	Fever, Typhoid and Typhus	3.5	5.3	3.1	2.2	3.0
12	15	6	14	47	Scarlatina	1.9	2.1	.9	2.8	2.2
125	114	119	152	510	Consumption	21.2	23.1	17.8	21.1	23.4
49	40	17	31	137	Pneumonia	5.7	4.7	2.5	7.5	9.2
34	25	26	24	109	Heart, Diseases of	4.5	3.6	3.9	4.6	6.4

This table shows that zymotic diseases produced more than twice as many deaths in the last half of the year as in the first half, and twice as large a proportionate part of the mortality in the third quarter as in the second quarter. It shows the difference between the more important Zymoses; cholera infantum, cholera morbus, diarrhoea and dysentery prevail much the most in the third quarter; croup, diphtheria and scarlatina, as well as pneumonia, which sometimes appears to partake of a zymotic character, prevail least in the third; typhoid and typhus fever, most in the fourth. Comparing the respiratory with the zymotic class, the whole year presents an uncommon excess of the former; the first quarter has *just* twice as many deaths in the respiratory as in the zymotic class; the second quarter has *almost* twice as many, and the fourth quarter has more respiratory than zymotic; but the third quarter has more than three zymotic to two respiratory.

Digitized by Google

TABULAR RETROSPECT.

The present report, for 1862, is the *tenth* which has been published in relation to the registration of births, marriages, and deaths in Rhode Island. These reports extend over a period of ten years and seven months, from June 1st, 1852, to December 31st, 1862 inclusive.

The first report was prepared by Dr. Thomas H. Webb; the second, third, fourth, fifth, sixth, and ninth were prepared by Dr. Charles W. Parsons; and the seventh and eighth by Dr. Edward A. Crane.

It has been customary, in the "results and observations" of each year, to give recapitulations of facts to illustrate special subjects of interest; and in the fifth annual report, for 1857, extended recapitulatory tables were given comprising all the important facts to that time, which were rendered more valuable by observations, the result of a close study of the facts.

At the close of this, the first decade in the history of registration in the State, it seems to be proper and necessary that we should present a full recapitulation and review of the facts obtained. This recapitulation will be found in the tables from Nos. XIV to XXIV inclusive; on pages 40 to 60 inclusive.

These tables abound in facts of the highest interest and importance, containing as they do the results of the record of 36,916 children born, 29,246 persons married, and 22,928 persons deceased, (total 89,090), in the State during the last ten years and seven months.

It is difficult to resist the temptation to enter upon an extended analysis and review of these facts; to show their bearing upon the subject of registration, and their importance to many interests of the State; but the preparation of the tables has occupied so much time, and their publication so much space, that we are reluctantly compelled

Digitized by Google

to omit any extended remarks upon them. We can only give a few brief statements and necessary explanations in relation to them.

Table XIV, pages 40 and 41, gives a general abstract of the births, marriages and deaths in the State for five years, from January 1st, 1858, to December 31st, 1862. Owing to a change in the form of some portions of this table, in the sixth and subsequent reports, it was impossible to give the table in full for the whole period of ten years and seven months.

In consequence of changes in territory, which have already been explained, the statistics in this table for the town of Fall River are only for the four years, 1858 to 1861 inclusive, and for the towns of Pawtucket and East Providence only for one year, 1862. In connection with this table, it would be interesting to compare the facts with the population in 1860. For this purpose the population of the several towns and divisions of the State may be found in the first table on the second page of this report.

Table XV, on page 42, shows the ages of all the persons married in the State during the nine years, 1854 to 1862 inclusive. Of all the men married, whose ages were given, only 4.3 in each 100 were under 20 years of age; of all the women married, 27.1 in each 100 were under 20 years. The table shows that, during the nine years, one girl under 20 years married a man between 65 and 70; and one girl between 40 and 45 married a man under 20. During this time, three men and one woman, between 80 and 85 years were married in the State; and 40 men and 6 women, between 70 and 80 years were married.

Table XVI, on page 43, shows the ages of all who have died in the State from June 1st, 1852, to December 31st, 1862, and the proportions of the whole, and of each sex, in the different divisions of ages. From this table we learn that nearly thirty-seven in each 100 of all who have died were under five years of age, and that there is a marked difference in the proportion of infantile mortality between the males and females, the greatest portion of the difference being in the decedents under one year of age. In order to illustrate more fully the subject of infantile mortality, another table is given on page 60, showing the number of decedents at different ages in the several divisions of the State. Some marked differences will be noticed in the proportions at different ages, in the several counties, some of which are due to actual differences in the mortality, and others to defective registration, particularly of children.

Digitized by Google

Tables XVII, XVIII, and XIX, on pages 44 to 49 inclusive, show the number of births, marriages, and deaths reported in each town and division of the State, in each of the ten years included in the reports. The first column in each table includes the numbers from June 1st, 1852, to December 31st, 1853, a period of one year and seven months. These tables illustrate the progress of registration in each town, and show the diligence and negligence of the recording officers in collecting the facts and making their returns. We commend the study of these tables to the town clerk of each town in the State.

Table XX, on page 50, shows the connection of season with births, deaths, and marriages. The first column shows the actual number of each of these events which has occurred in the State in ten years; the second column shows the proportion for each month, supposing the months to be of equal length. This column is obtained thus: If we divide the year 365 days into twelve equal parts, we have 30 days and five-twelfths as the average length of each month. We then have the proportion: As the number of days in any given month: is to the number of births which occurred in that month : : so is 30 5-12 days (the average month): to the number of births there would have been in that month if made of equal length with the other months.

Thus it will be seen that though there were in fact, more births and deaths in January and March than in February, yet if February had been of equal length with the other months, the number would have been greater in that month.

According to this table of equalized percentages, the greatest number of births and marriages occurs in November, and of deaths, in August.

Table XXI, on page 51, shows the whole number of plurality births in Rhode Island, in ten years, 1853 to 1862 inclusive. There were 385 cases of twin births, and 9 cases of triplets, giving 388 male children; 405 female children; and 4 children, sex not stated.

Table XXII, on pages 52 to 57 inclusive, is an important table, showing the number of decedents of each sex, and at each period of life, from each disease and class of diseases, in the whole period of ten years and seven months, from June 1st, 1852 to December 31st, 1862. This table is interesting and important to those who are investigating the subject, and will be often referred to in the preparation of future reports; but want of space forbids any extended comments upon it at this time.

Digitized by Google

Table XXIII, on pages 58 and 59, shows the relation of some of the most important diseases to the seasons of the year. The table comprises all the diseases, the mortality from which can be supposed to be affected by season, and some upon which season evidently exerts no influence.

Table XXIV, on page 60, may be considered as a supplement to table XVI, on page 43, and has already been referred to.

Such is a brief synopsis of the contents of the recapitulatory tables, and is all that time and space permit at the present time. Those who prepare future reports will find frequent occasion to refer to these tables, and will find it interesting and useful to examine and analyze the facts presented in them.

Digitized by Google

Digitized by Google

Digitized by Google

UNIVERSITY OF MICHIGAN
3 9015 06944 0926

Digitized by Google